

C.L.E. ACADEMY

6524 N 73RD ST
MILWAUKEE, WI

4 Inspection Visits Since 2024 · 30 Findings

Most recent inspection: Jan 14, 2026

● 30 Important

Across 4 inspections since 2024, the issues cited most often were Each Certified Operator And Each Provider Shall Comply With (18), 202.08(1)(b)3.d. (11), and 6/16/2025 (1). None of the 30 findings were critical.

Inspection Visits

Jan 14, 2026 2 Findings ● 2 Important

● **Each Certified Operator And Each Provider Shall Comply With**

202.08(1)(b)3.d.

The operator's infant and child cardiopulmonary resuscitation (CPR) certification expired on 12/14/2025, and the operator

● **202.08(1)(b)3.d.**

Rule Number

Rule Summary

Dec 14, 2025 1 Finding ● 1 Important

● **6/16/2025**

Date

Rule Number

Jun 16, 2025 19 Findings ● 19 Important

● **After Completion Of Preservice Training Under Subd 3., A Chi**

202.08(1)(b)5.

The operator was not able to provide 5 hours of completed continual education annually for 2024 and 2025 during the reception

About this report

Childery generates this report from public inspection records published by the Wisconsin Department of Children and Families, Bureau of Early Care Regulation. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Wisconsin Department of Children and Families, Bureau of Early Care Regulation.

- **The Primary Exit Shall Be A Door Or A Stairway Providing Uno**
202.08(2)(a)3.
The primary exit door was obstructed with piles of shoes.
- **The Home Shall Have A Functional Smoke Detector On Each Floo**
202.08(2)(ar)
There were no functioning smoke detector in the living room, the upper level of the home or the basement.
- **The Indoor And Outdoor Areas Of The Home Shall Be Free Of Ha**
202.08(2)(c)
Nightshades were growing outside in the backyard area, which was accessible to children.
- **The Premises, Furnishings, And Equipment Shall Be Free From**
202.08(2)(f)
The premises was not maintained in a sanitary condition. Clothing were scattered on the stairs leading to the upper leve
- **An Operator Shall Have A Written Plan For Taking Appropriate**
202.08(4m)(a)1.
The operator did not have a written emergency plan for taking appropriate action in the event of emergencies.
- **An Operator's Emergency Plan Shall Include Procedures For Al**
202.08(4m)(a)1.a-c
B. Communication And Reunification With Families.
- **The Emergency Plan Under Subd. 1. Shall Be Reviewed Periodi**
202.08(4m)(a)2.
The emergency plan was not reviewed periodically and practiced since the operator was unaware of nonfunctional smoke dete
- **An Operator Shall Have A Written Plan To Prevent And Respond**
202.08(4m)(b)
The operator did not have a written plan to prevent and respond to food and other allergy-related emergencies.
- **The Certified Child Care Operator Shall Keep Current And Ac**
202.08(5)(i)
The operator was not able to locate her attendance sheets to be reviewed during the recertification visit.
- **202.08(4m)(a)1.a-c**
Rule Number
Rule Summary

About this report

Childery generates this report from public inspection records published by the Wisconsin Department of Children and Families, Bureau of Early Care Regulation. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Wisconsin Department of Children and Families, Bureau of Early Care Regulation.

● **202.08(4m)(a)2.**

Rule Number

Rule Summary

● **202.08(4m)(b)**

Rule Number

Rule Summary

● **202.08(2)(a)3.**

Rule Number

Rule Summary

● **202.08(2)(ar)**

Rule Number

Rule Summary

● **202.08(2)(c)**

Rule Number

Rule Summary

● **202.08(2)(f)**

Rule Number

Rule Summary

● **202.08(1)(b)5.**

Rule Number

Rule Summary

● **202.08(5)(i)**

Rule Number

Rule Summary

Jun 24, 2024 8 Findings ● 8 Important

● **The Certified Child Care Operator Shall Be In Ongoing Commun**

202.08(12)(c)

Child #1 and #2 were missing a written contract that specifies the charge for child care services and the expected frequ

● **Prior To A Child's First Day Of Attendance For Any Child In**

202.08(12)(f)1-4

1. The Parents' Home And Work Phone Numbers.

About this report

Childery generates this report from public inspection records published by the Wisconsin Department of Children and Families, Bureau of Early Care Regulation. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Wisconsin Department of Children and Families, Bureau of Early Care Regulation.

● **The Indoor And Outdoor Areas Of The Home Shall Be Free Of Ha**

202.08(2)(c)

Fragrance plug was plugged in the living room electrical outlet that was accessible to children.

● **The Premises, Furnishings, And Equipment Shall Be Free From**

202.08(2)(f)

The stairs leading to the basement had items stored on the steps. Other items were scattered on the basement pathway and

● **For A Child 2 Years Of Age Or Older, A Report Of A Physical**

202.08(4)(a)2.

Child #3 and #4 were missing their health report on file.

● **A Provider Shall Change A Child's Wet Or Soiled Clothing Or**

202.08(4)(i)

Per the operator's description, the correct 2-step method was not used to clean and disinfect the diapering surface.

● **The Emergency Plan Under Subd. 1. Shall Be Reviewed Periodi**

202.08(4m)(a)2.

The basement is used for tornado shelters and drills; however, the designated space that the operator stated was used fo

● **202.08(4m)(a)2.**

Rule Number

Rule Summary

About this report

Childery generates this report from public inspection records published by the Wisconsin Department of Children and Families, Bureau of Early Care Regulation. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Wisconsin Department of Children and Families, Bureau of Early Care Regulation.