

ROYAL REIGN PLAYLAND

808 N 25TH ST
MILWAUKEE, WI

3 Inspection Visits Since 2024 - 30 Findings

Most recent inspection: Aug 19, 2025

● 30 Important

Across 3 inspections since 2024, the issues cited most often were Health Form: A Certified Child Care Operator Shall Have A Cu (15) and 202.08(4)(a) (15). None of the 30 findings were critical.

Inspection Visits

Aug 19, 2025 10 Findings ● 10 Important

● **A One-Unit Or Two-Unit Residential Building Shall Have A Fun**

202.08(2)(am)1.

Provider failed to have a carbon monoxide detector present in their basement.

● **The Indoor And Outdoor Areas Of The Home Shall Be Free Of Ha**

202.08(2)(c)

Many trash bags and hazardous materials strewn about the childcare area.

● **The Premises, Furnishings, And Equipment Shall Be Free From**

202.08(2)(f)

Large numbers of insects present in the kitchen area of the childcare.

● **Bathrooms, Including Toilets, Sinks, And Potty Chairs, Shall**

202.08(2)(g)

Bathroom used for childcare in non working condition - bathroom has leaks and fixtures do not work consistently.

● **Health Form: A Certified Child Care Operator Shall Have A Cu**

202.08(4)(a)

Provider failed to get updated health reports for children in care.

● **202.08(4)(a)**

Rule Number

Rule Summary

About this report

Childery generates this report from public inspection records published by the Wisconsin Department of Children and Families, Bureau of Early Care Regulation. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Wisconsin Department of Children and Families, Bureau of Early Care Regulation.

● **202.08(2)(am)1.**

Rule Number

Rule Summary

● **202.08(2)(c)**

Rule Number

Rule Summary

● **202.08(2)(f)**

Rule Number

Rule Summary

● **202.08(2)(g)**

Rule Number

Rule Summary

Jun 17, 2025 16 Findings ● 16 Important

● **A Safe Crib Or Playpen With A Tight-Fitting Mattress With A**

202.08(11)(d)

Cribs/Playpens in daycare did not have tight firm fitting mattresses and contained soft objects.

● **The Certified Child Care Operator Shall Be In Ongoing Commun**

202.08(12)(c)

No child enrolled had a signed contract/payment agreement.

● **A One-Unit Or Two-Unit Residential Building Shall Have A Fun**

202.08(2)(am)1.

Provider did not have a carbon monoxide detector in their basement.

● **The Indoor And Outdoor Areas Of The Home Shall Be Free Of Ha**

202.08(2)(c)

Several outlets were missing covers. Floor vent missing cover. Plastic packaging accessible in entry area.

● **Bathrooms, Including Toilets, Sinks, And Potty Chairs, Shall**

202.08(2)(g)

Bathroom in home was not in clean and working condition. Bathroom sink was clogged and overflowing.

● **Health Form: A Certified Child Care Operator Shall Have A Cu**

202.08(4)(a)

"I will ask parents to have forms filled out."

About this report

Childery generates this report from public inspection records published by the Wisconsin Department of Children and Families, Bureau of Early Care Regulation. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Wisconsin Department of Children and Families, Bureau of Early Care Regulation.

● **The Physical Examination Report Shall Be Made On An Electron**

202.08(4)(b)

No child had a signed health report.

● **The Certified Child Care Operator Shall Keep Current And Ac**

202.08(5)(i)

Provider did not have children signed in upon arrival.

● **202.08(4)(a)**

Rule Number

Rule Summary

● **202.08(4)(b)**

Rule Number

Rule Summary

● **202.08(2)(am)1.**

Rule Number

Rule Summary

● **202.08(2)(c)**

Rule Number

Rule Summary

● **202.08(2)(g)**

Rule Number

Rule Summary

● **202.08(12)(c)**

Rule Number

Rule Summary

● **202.08(11)(d)**

Rule Number

Rule Summary

● **202.08(5)(i)**

Rule Number

Rule Summary

Dec 11, 2024 4 Findings ● 4 Important

About this report

Childery generates this report from public inspection records published by the Wisconsin Department of Children and Families, Bureau of Early Care Regulation. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Wisconsin Department of Children and Families, Bureau of Early Care Regulation.

● **A Certified Child Care Operator Shall Report To The Certifi**

202.08(1m)(b)3.

Provider failed to notify the certification agency of a burst pipe that caused an interruption to care.

● **Prior To The Day A Driver First Transports Children In Care,**

202.08(9)(f)1.

Provider did not obtain approval to provide transportation from the certification agency.

● **202.08(1m)(b)3.**

Rule Number

Rule Summary

● **202.08(9)(f)1.**

Rule Number

Rule Summary

About this report

Childery generates this report from public inspection records published by the Wisconsin Department of Children and Families, Bureau of Early Care Regulation. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Wisconsin Department of Children and Families, Bureau of Early Care Regulation.