

SUMMERTIME DAYCARE

N3448 DUFFY RD
MAUSTON, WI

2 Inspection Visits Since 2025 · 6 Findings

Most recent inspection: Feb 20, 2026

● 6 Important

Across 2 inspections since 2025, the issues cited most often were 250.05(2)(b) (3), Staff File - Background Check Results (1), and Fire Extinguisher (1). None of the 6 findings were critical.

Inspection Visits

Feb 20, 2026 2 Findings ● 2 Important

● **Staff File - Background Check Results**

250.05(2)(b)

Fingerprints not completed for the following individuals: Individual 001

● **250.05(2)(b)**

Rule Number

Rule Summary

Sep 4, 2025 4 Findings ● 4 Important

● **Fire Extinguisher**

250.06(4)(b)

The center was not in compliance when the fire extinguisher on site had a pressure gauge that indicated recharging was r

● **Infant & Toddler - Sleep Position**

250.09(2)(c)

The center was not in compliance when it was found that an infant in care regularly slept on the couch near the provider

● **250.06(4)(b)**

Rule Number

Rule Summary

About this report

Childery generates this report from public inspection records published by the Wisconsin Department of Children and Families, Bureau of Early Care Regulation. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Wisconsin Department of Children and Families, Bureau of Early Care Regulation.

- **250.09(2)(c)**
Rule Number
Rule Summary

About this report

Childery generates this report from public inspection records published by the Wisconsin Department of Children and Families, Bureau of Early Care Regulation. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Wisconsin Department of Children and Families, Bureau of Early Care Regulation.