

NANAS PALACE

4940 W VIENNA AVE
MILWAUKEE, WI

1 Inspection Visit Since 2025 · 14 Findings

Most recent inspection: Jul 30, 2025

● 14 Important

Across 1 inspection since 2025, the issues cited most often were The Physical Examination Report Shall Be Made On An Electron (7) and 202.08(4)(b) (7). None of the 14 findings were critical.

Inspection Visits

Jul 30, 2025 14 Findings ● 14 Important

● **A Safe Crib Or Playpen With A Tight-Fitting Mattress With A**

202.08(11)(d)

The playpen available had the mattress at a height which is unsafe for infants who are able to roll over and sit up. The

● **Prior To A Child's First Day Of Attendance For Any Child In**

202.08(12)(f)1-4

1. The Parents' Home And Work Phone Numbers.

● **A One-Unit Or Two-Unit Residential Building Shall Have A Fun**

202.08(2)(am)1.

There was no carbon monoxide detector on the second level of the home.

● **The Home Shall Have A Functional Smoke Detector On Each Floo**

202.08(2)(ar)

There was no smoke detector on the second level of the home.

● **Wading Pools May Be Used If The Water Is Changed Daily And T**

202.08(2)(e)6.

A wading pool was observed with dirt present on the bottom from a previous day. It had not been emptied and disinfected.

● **The Premises Shall Have No Flaking, Chipping, Peeling, Or De**

202.08(2)(L)

The garage had peeling paint that was accessible to children in the outdoor play space.

About this report

Childery generates this report from public inspection records published by the Wisconsin Department of Children and Families, Bureau of Early Care Regulation. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Wisconsin Department of Children and Families, Bureau of Early Care Regulation.

● **The Physical Examination Report Shall Be Made On An Electron**

202.08(4)(b)

The health report on file for children #3 was not signed and dated by a health care provider.

● **202.08(4)(b)**

Rule Number

Rule Summary

● **202.08(2)(am)1.**

Rule Number

Rule Summary

● **202.08(2)(ar)**

Rule Number

Rule Summary

● **202.08(2)(e)6.**

Rule Number

Rule Summary

● **202.08(2)(L)**

Rule Number

Rule Summary

● **202.08(12)(f)1-4**

Rule Number

Rule Summary

● **202.08(11)(d)**

Rule Number

Rule Summary

About this report

Childery generates this report from public inspection records published by the Wisconsin Department of Children and Families, Bureau of Early Care Regulation. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Wisconsin Department of Children and Families, Bureau of Early Care Regulation.