

SWCAP PLATTEVILLE HEAD START

475 N WATER ST

PLATTEVILLE, WI

2 Inspection Visits Since 2024 · 14 Findings

Most recent inspection: Feb 18, 2026

● 14 Important

Across 2 inspections since 2024, the issues cited most often were 251.04(6)(a)6m. (7), Child Record - Immunization History (3), and Access To Materials Potentially Harmful To Children (3). None of the 14 findings were critical.

Inspection Visits

Feb 18, 2026 8 Findings ● 8 Important

● **Child Record - Immunization History**

251.04(6)(a)6m.

Child 2 did not have documentation of immunizations on file as required.

● **Child Record - Physical Exam - Over 2, Under 5**

251.04(6)(a)8.b.

Child 2 did not have documentation of a health exam on file as required.

● **Staff Record - Physical Examination**

251.05(2)(a)3.a.

Staff B did not have documentation of a physical exam within 30 days of hire on file as required.

● **Access To Materials Potentially Harmful To Children**

251.06(2)(d)

Potentially harmful materials were not inaccessible when a bottle of disinfectant was on a bathroom counter within the r

● **251.04(6)(a)6m.**

Rule Number

Rule Summary

● **251.04(6)(a)8.b.**

Rule Number

Rule Summary

About this report

Childery generates this report from public inspection records published by the Wisconsin Department of Children and Families, Bureau of Early Care Regulation. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Wisconsin Department of Children and Families, Bureau of Early Care Regulation.

● **251.05(2)(a)3.a.**

Rule Number

Rule Summary

● **251.06(2)(d)**

Rule Number

Rule Summary

Nov 21, 2024 6 Findings ● 6 Important

● **Stipulations, Conditions, Exceptions Posted**

251.04(2)(L)1.c.

The current exception in place for the center was not posted near the child care license as required.

● **Emergencies - Practice Written Plans**

251.06(3)(b)2.

Emergency drills were not practiced monthly as required when, according to staff, no emergency drills had been completed

● **Emergencies - Record Of Fire / Tornado Drills**

251.06(3)(b)4.

A written record of emergency drills was not maintained as required when staff could not locate documentation of drills

● **251.04(2)(L)1.c.**

Rule Number

Rule Summary

● **251.06(3)(b)2.**

Rule Number

Rule Summary

● **251.06(3)(b)4.**

Rule Number

Rule Summary

About this report

Childery generates this report from public inspection records published by the Wisconsin Department of Children and Families, Bureau of Early Care Regulation. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Wisconsin Department of Children and Families, Bureau of Early Care Regulation.