

BRIGHTER FUTURE LEARNING CENTER

4532 N 44TH ST
MILWAUKEE, WI

2 Inspection Visits Since 2024 · 6 Findings

Most recent inspection: May 28, 2026

● 6 Important

Across 2 inspections since 2024, the issues cited most often were 250.06(2)(c) (3), Access To Materials Potentially Harmful To Children (2), and Child Record - Immunization History Compliance (1). None of the 6 findings were critical.

Inspection Visits

May 28, 2026 4 Findings ● 4 Important

● **Access To Materials Potentially Harmful To Children**

250.06(2)(c)

Plastic bags, aluminum foil with a serrated edge, and a loose cord from the ac unit were accessible in the kitchen.
Wipe

● **Food Storage, Temperatures**

250.06(9)(d)

The thermometer used for measuring the temperature of the fridge was broken. A new thermometer was placed in the fridge

● **250.06(2)(c)**

Rule Number

Rule Summary

● **250.06(9)(d)**

Rule Number

Rule Summary

Nov 20, 2024 2 Findings ● 2 Important

● **Child Record - Immunization History Compliance**

250.04(6)(a)4m.

IL was not able to verify immunizations for child 1 and child 2 required within 30 days of beginning in the program.

About this report

Childery generates this report from public inspection records published by the Wisconsin Department of Children and Families, Bureau of Early Care Regulation. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Wisconsin Department of Children and Families, Bureau of Early Care Regulation.

● **250.04(6)(a)4m.**

Rule Number

Rule Summary

About this report

Childery generates this report from public inspection records published by the Wisconsin Department of Children and Families, Bureau of Early Care Regulation. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Wisconsin Department of Children and Families, Bureau of Early Care Regulation.