

HAPPY HOUR DEVELOPMENT CENTER

2815 N 39TH ST
MILWAUKEE, WI

2 Inspection Visits Since 2024 · 24 Findings

Most recent inspection: Oct 28, 2025



● 24 Important

Across 2 inspections since 2024, the issues cited most often were 250.06(11)(b)4. (12), Outdoor Play Space - Enclosure (6), and Vehicle Safety Alarm - Installed (4). None of the 24 findings were critical.

Inspection Visits

Oct 28, 2025 10 Findings ● 10 Important

● Outdoor Play Space - Enclosure

250.06(11)(b)4.

There is no gate on the outdoor play space to enclose the space.

● Access To Materials Potentially Harmful To Children

250.06(2)(c)

There were hazardous materials underneath the sink in the bathroom and the child-proof latch was disconnected from its m

● Differences Of Elevation - Protective Railings

250.06(2)(g)

In the outdoor play spacer there are railings on the porch that do not have protective barriers on the north side of the

● Deteriorating Or Toxic Paint

250.06(2)(k)

There are multiple areas of deteriorating paint in the outdoor play space.

● Vehicle Safety Alarm - Installed

250.08(8)(a)

There is no alarm installed.

● 250.06(11)(b)4.

Rule Number

Rule Summary

About this report

Childery generates this report from public inspection records published by the Wisconsin Department of Children and Families, Bureau of Early Care Regulation. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Wisconsin Department of Children and Families, Bureau of Early Care Regulation.

● **250.06(2)(c)**
Rule Number
Rule Summary

● **250.06(2)(g)**
Rule Number
Rule Summary

● **250.06(2)(k)**
Rule Number
Rule Summary

● **250.08(8)(a)**
Rule Number
Rule Summary

Nov 7, 2024 14 Findings ● 14 Important

● **Staff File - Physical Examination - Physical Ability**
250.05(2)(d)1.b.
There was not documentation of a health report for physical ability for Staff A.

● **Biennial Training - Child Abuse & Neglect**
250.05(3)(fm)
There was not a current certificate for Child Abuse and Neglect for Staff A.

● **Outdoor Play Space - Enclosure**
250.06(11)(b)4.
The outdoor play area entrance was open air and lacked a gate.

● **Access To Materials Potentially Harmful To Children**
250.06(2)(c)
There were multiple household cleaning items underneath the sink in the bathroom accessible to children.

● **Driver Training - Documentation**
250.08(4)(b)
There was no documentation of an annual driving training for Staff A.

● **Driver Record - Obtain & Review**
250.08(4)(c)1.
There was no documentation of an annual driver record for Staff A.

About this report

Childery generates this report from public inspection records published by the Wisconsin Department of Children and Families, Bureau of Early Care Regulation. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Wisconsin Department of Children and Families, Bureau of Early Care Regulation.

● **Vehicle Inspection Form**

250.08(5)(b)

There was not a current vehicle inspection report for 2024.

● **250.05(2)(d)1.b.**

Rule Number

Rule Summary

● **250.05(3)(fm)**

Rule Number

Rule Summary

● **250.06(11)(b)4.**

Rule Number

Rule Summary

● **250.06(2)(c)**

Rule Number

Rule Summary

● **250.08(4)(b)**

Rule Number

Rule Summary

● **250.08(4)(c)1.**

Rule Number

Rule Summary

● **250.08(5)(b)**

Rule Number

Rule Summary

About this report

Childery generates this report from public inspection records published by the Wisconsin Department of Children and Families, Bureau of Early Care Regulation. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Wisconsin Department of Children and Families, Bureau of Early Care Regulation.