

YMCA SACC AT ROCKETSHIP

3003 W CLEVELAND AVE
MILWAUKEE, WI

2 Inspection Visits Since 2024 - 18 Findings

Most recent inspection: Oct 3, 2025

● 18 Important

Across 2 inspections since 2024, the issues cited most often were 251.06(3)(b)4. (9), Staff Record - Maintenance & Availability (5), and Emergencies - Record Of Fire / Tornado Drills (2). None of the 18 findings were critical.

Inspection Visits

Oct 3, 2025 4 Findings ● 4 Important

● **Emergencies - Record Of Fire / Tornado Drills**

251.06(3)(b)4.

There was no documentation of fire and tornado drill being practiced in September 2025.

● **Medical Log - Reviewing Injury Records**

251.07(6)(dm)4.

The medical/injury log book was not reviewed within the last 6 months.

● **251.06(3)(b)4.**

Rule Number

Rule Summary

● **251.07(6)(dm)4.**

Rule Number

Rule Summary

Oct 31, 2024 14 Findings ● 14 Important

● **Staff Record - Maintenance & Availability**

251.05(2)(a)

Staff A did not have a staff file available for review.

About this report

Childery generates this report from public inspection records published by the Wisconsin Department of Children and Families, Bureau of Early Care Regulation. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Wisconsin Department of Children and Families, Bureau of Early Care Regulation.

● **Abusive Head Trauma Prevention Training**

251.05(3)(b)

Staff A did not have documentation on file for completing training in abusive head trauma before beginning work with chi

● **Cardiopulmonary Resuscitation Training**

251.05(3)(c)

Staff A did not have documentation on file of current training in infant and child CPR.

● **Child Abuse & Neglect - Biennial Training**

251.05(3)(cm)

Staff A did not have on file documentation of training in child abuse and neglect laws, identification and reporting pro

● **Staff Orientation - Develop, Implement, Document**

251.05(4)(a)

Staff A did not have documentation of completing orientation.

● **Access To Materials Potentially Harmful To Children**

251.06(2)(d)

Cleaning products and air fresheners were observed in an unsecured cabinet in the bathroom which the children use.

● **Medical Log - Reviewing Injury Records**

251.07(6)(dm)4.

The medical/injury log book was not reviewed since 12/2023.

● **251.05(2)(a)**

Rule Number

Rule Summary

● **251.05(3)(b)**

Rule Number

Rule Summary

● **251.05(3)(c)**

Rule Number

Rule Summary

● **251.05(3)(cm)**

Rule Number

Rule Summary

About this report

Childery generates this report from public inspection records published by the Wisconsin Department of Children and Families, Bureau of Early Care Regulation. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Wisconsin Department of Children and Families, Bureau of Early Care Regulation.

● **251.05(4)(a)**
Rule Number
Rule Summary

● **251.06(2)(d)**
Rule Number
Rule Summary

● **251.07(6)(dm)4.**
Rule Number
Rule Summary

About this report

Childery generates this report from public inspection records published by the Wisconsin Department of Children and Families, Bureau of Early Care Regulation. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Wisconsin Department of Children and Families, Bureau of Early Care Regulation.