

BPS LEARNING CREATION

4608 N 44TH ST
MILWAUKEE, WI

3 Inspection Visits Since 2024 · 30 Findings

Most recent inspection: Sep 24, 2025

● 30 Important

Across 3 inspections since 2024, the issues cited most often were An Operator Shall Have A Written Plan For Taking Appropriate (16), 202.08(4m)(a)1. (13), and 9/24/2025 (1). None of the 30 findings were critical.

Inspection Visits

Sep 24, 2025 17 Findings ● 17 Important

● **Each Certified Operator And Each Provider Shall Comply With**

202.08(1)(b)3.d.

The operator's CPR has expires as of 6/17/2025. The operator did not obtain and recertify her CPR until 8/19/2025.

● **After Completion Of Preservice Training Under Subd 3., A Chi**

202.08(1)(b)5.

The operator did not receive and document receiving at least 5 hours of qualifying continuing education annually.

● **The Home Shall Have A Functional Smoke Detector On Each Floo**

202.08(2)(ar)

The basement did not have a smoke detector.

● **The Indoor And Outdoor Areas Of The Home Shall Be Free Of Ha**

202.08(2)(c)

Nightshades were growing outside in the backyard area, which was accessible to children.

● **The Certified Child Care Operator Shall Have On File For Eac**

202.08(4)(e)

Child #10 did have an record of the immunization history document on file.

● **An Operator Shall Have A Written Plan For Taking Appropriate**

202.08(4m)(a)1.

The operator had a written emergency plan but it only covered fire; a tornado; a flood and was missing the other events

About this report

Childery generates this report from public inspection records published by the Wisconsin Department of Children and Families, Bureau of Early Care Regulation. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Wisconsin Department of Children and Families, Bureau of Early Care Regulation.

● **An Operator's Emergency Plan Shall Include Procedures For All**

202.08(4m)(a)1.a-c

B. Communication And Reunification With Families.

● **The Emergency Plan Under Subd. 1. Shall Be Reviewed Periodi**

202.08(4m)(a)2.

The emergency plan was not reviewed periodically and practiced as specified in the plan.

● **An Operator Shall Have A Written Plan To Prevent And Respond**

202.08(4m)(b)

The operator did not have a emergency plan that discussed how she will prevent and response to food and other allergy-re

● **202.08(4m)(a)1.**

Rule Number

Rule Summary

● **202.08(4m)(a)1.a-c**

Rule Number

Rule Summary

● **202.08(4m)(a)2.**

Rule Number

Rule Summary

● **202.08(4m)(b)**

Rule Number

Rule Summary

● **202.08(4)(e)**

Rule Number

Rule Summary

● **202.08(2)(ar)**

Rule Number

Rule Summary

● **202.08(2)(c)**

Rule Number

Rule Summary

About this report

Childery generates this report from public inspection records published by the Wisconsin Department of Children and Families, Bureau of Early Care Regulation. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Wisconsin Department of Children and Families, Bureau of Early Care Regulation.

● **202.08(1)(b)3.d.**

Rule Number

Rule Summary

Jun 17, 2025 1 Finding ● 1 Important

● **9/24/2025**

Date

Rule Number

Nov 7, 2024 12 Findings ● 12 Important

● **A Certified Family Child Care Operator Shall Submit A Comple**

202.08(1m)(c)

Household member background check was expired and was not eligible.

● **The Indoor And Outdoor Areas Of The Home Shall Be Free Of Ha**

202.08(2)(c)

The basement space that was planning to be used had long nails sticking out that was harmful and accessible to children.

● **The Premises, Furnishings, And Equipment Shall Be Free From**

202.08(2)(f)

The changing pad that was used was rip and was not in good repair.

● **For Each Child Under 2 Years Of Age, A Report Of A Physical**

202.08(4)(a)1.

Child #6 was missing an updated health report on file.

● **An Operator Shall Have A Written Plan For Taking Appropriate**

202.08(4m)(a)1.

The operator had a written emergency plan but did not include all the required events of emergencies and taking appropri

● **An Operator's Emergency Plan Shall Include Procedures For Al**

202.08(4m)(a)1.a-c

B. Communication And Reunification With Families.

About this report

Childery generates this report from public inspection records published by the Wisconsin Department of Children and Families, Bureau of Early Care Regulation. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Wisconsin Department of Children and Families, Bureau of Early Care Regulation.

● **The Emergency Plan Under Subd. 1. Shall Be Reviewed Periodi**

202.08(4m)(a)2.

The basement is used for tornado shelters and drills; however, the designated space that the operator stated was used fo

● **202.08(4m)(a)1.**

Rule Number

Rule Summary

● **202.08(4m)(a)1.a-c**

Rule Number

Rule Summary

● **202.08(4m)(a)2.**

Rule Number

Rule Summary

● **202.08(4)(a)1.**

Rule Number

Rule Summary

● **202.08(1m)(c)**

Rule Number

Rule Summary

About this report

Childery generates this report from public inspection records published by the Wisconsin Department of Children and Families, Bureau of Early Care Regulation. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Wisconsin Department of Children and Families, Bureau of Early Care Regulation.