

LESLIE'S LOVING TOUCH

4234 W LUSCHER AVE
MILWAUKEE, WI

2 Inspection Visits Since 2024 · 8 Findings

Most recent inspection: Dec 2, 2025



8 Important

Across 2 inspections since 2024, the issues cited most often were The Home Shall Have A Functional Smoke Detector On Each Floo (4) and 202.08(2)(ar) (4). None of the 8 findings were critical.

Inspection Visits

Dec 2, 2025 2 Findings 2 Important

The Home Shall Have A Functional Smoke Detector On Each Floo

202.08(2)(ar)

Smoke detectors were low on battery

202.08(2)(ar)

Rule Number

Rule Summary

Oct 30, 2024 6 Findings 6 Important

A Certified Child Care Operator Shall Maintain A Current Wr

202.08(1m)(a)8.

One child s record folder was missing.

The Indoor And Outdoor Areas OfThe Home Shall Be Free Of Ha

202.08(2)(c)

Free hanging cables in the basement area.

The Home Shall Have A List Of Emergency Numbers Posted In A

202.08(4m)(d)2.

Provider did not have a list of emergency phone numbers posted.

About this report

Childery generates this report from public inspection records published by the Wisconsin Department of Children and Families, Bureau of Early Care Regulation. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Wisconsin Department of Children and Families, Bureau of Early Care Regulation.

● **202.08(4m)(d)2.**

Rule Number

Rule Summary

● **202.08(1m)(a)8.**

Rule Number

Rule Summary

● **202.08(2)(c)**

Rule Number

Rule Summary

About this report

Childery generates this report from public inspection records published by the Wisconsin Department of Children and Families, Bureau of Early Care Regulation. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Wisconsin Department of Children and Families, Bureau of Early Care Regulation.