

LITTLE HEARTS INSIDE

2425 N 40TH ST
MILWAUKEE, WI

3 Inspection Visits Since 2024 - 30 Findings

Most recent inspection: Nov 5, 2025

● 30 Important

Across 3 inspections since 2024, the issues cited most often were 250.05(4)(c)1. (14), Usable Indoor Space (12), and Pets & Animals - Health & Immunization (2). None of the 30 findings were critical.

Inspection Visits

Nov 5, 2025 24 Findings ● 24 Important

● **Continuing Education - Requirement & Training Topics**

250.05(4)(c)1.

Staff A did not have 15 hours of continuing education training on file.

● **Usable Indoor Space**

250.06(1)(b)1.

The house was cluttered and did not have proper 35 square feet per child.

● **Access To Materials Potentially Harmful To Children**

250.06(2)(c)

There were bleach and laundry detergent in the staircase to go outside that was accessible to children when going outside.

● **Potential Source Of Harm On Premises**

250.06(2)(e)

There was a snow shovel, a weed trimmer, and tools in the outdoor play space.

● **Deteriorating Or Toxic Paint**

250.06(2)(k)

There was chipping paint on the exit door leaving the kitchen.

About this report

Childery generates this report from public inspection records published by the Wisconsin Department of Children and Families, Bureau of Early Care Regulation. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Wisconsin Department of Children and Families, Bureau of Early Care Regulation.

● **Premises - Condition & Repair**

250.06(2)(m)

There was garbage and clutter in the outdoor play space. There was stool in the outdoor play space. There were broken

● **Emergency Plans - Practice**

250.06(3)(b)

The fire and tornado drills were not documented for October 2025.

● **Smoke Detectors - Testing**

250.06(4)(a)3.

There was no documentation for smoke detector testing for the month of October.

● **Exits - Unobstructed**

250.06(7)(a)1.

The back door exit was obstructed. There were boxes in front of the exit blocking the doors from opening all the way.

● **Food Storage, Temperatures**

250.06(9)(d)

The temperature in the refrigerator was reading 48 degrees.

● **Pets & Animals - Health & Immunization**

250.07(7)(a)

The dog (dogo) had access to children and did. Not have current immunizations.

● **Pets & Animals - Excrement**

250.07(7)(g)

The outdoor play space had dog excrement accessible to children.

● **250.05(4)(c)1.**

Rule Number

Rule Summary

● **250.06(1)(b)1.**

Rule Number

Rule Summary

● **250.06(2)(c)**

Rule Number

Rule Summary

About this report

Childery generates this report from public inspection records published by the Wisconsin Department of Children and Families, Bureau of Early Care Regulation. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Wisconsin Department of Children and Families, Bureau of Early Care Regulation.

● **250.06(2)(e)**
Rule Number
Rule Summary

● **250.06(2)(k)**
Rule Number
Rule Summary

● **250.06(2)(m)**
Rule Number
Rule Summary

● **250.06(4)(a)3.**
Rule Number
Rule Summary

● **250.06(7)(a)1.**
Rule Number
Rule Summary

● **250.06(3)(b)**
Rule Number
Rule Summary

● **250.06(9)(d)**
Rule Number
Rule Summary

● **250.07(7)(a)**
Rule Number
Rule Summary

● **250.07(7)(g)**
Rule Number
Rule Summary

Aug 6, 2025 2 Findings ● 2 Important

● **Continuation License - Application Materials Submission Date**
250.11(5)(b)
11/14/2024

About this report

Childery generates this report from public inspection records published by the Wisconsin Department of Children and Families, Bureau of Early Care Regulation. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Wisconsin Department of Children and Families, Bureau of Early Care Regulation.

- **250.11(5)(b)**
Rule Number
Rule Summary

Nov 14, 2024 4 Findings ● 4 Important

- **Premises - Condition & Repair**
250.06(2)(m)

There was a mattress in the outdoor play space. There was a lawnmower underneath the play set.

- **Radon - Testing**
250.06(2)(n)1.a.

There was no radon testing completed.

- **Exits - Unobstructed**
250.06(7)(a)1.

There were boxes on the stairs of the secondary exit that blocked the exit.

- **250.05(4)(c)1.**
Rule Number
Rule Summary

About this report

Childery generates this report from public inspection records published by the Wisconsin Department of Children and Families, Bureau of Early Care Regulation. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Wisconsin Department of Children and Families, Bureau of Early Care Regulation.