

MARY KUBLY

204 SAINT TERESA TER 3
MONONA, WI

1 Inspection Visit Since 2024 - 4 Findings

Most recent inspection: Dec 16, 2024

● 4 Important

Across 1 inspection since 2024, the issues cited most often were An Operator Shall Ensure That Each Provider, Volunteer, Subs (2) and 202.08(4m)(e)1.-5. (2). None of the 4 findings were critical.

Inspection Visits

Dec 16, 2024 4 Findings ● 4 Important

● **A One-Unit Or Two-Unit Residential Building Shall Have A Fun**

202.08(2)(am)1.

Carbon monoxide detector not functional at time of visit. Left a brand new one with provider. Did video with her after i

● **An Operator Shall Ensure That Each Provider, Volunteer, Subs**

202.08(4m)(e)1.-5.

1. The Names And Ages Of Children In Care.

● **202.08(4m)(e)1.-5.**

Rule Number

Rule Summary

● **202.08(2)(am)1.**

Rule Number

Rule Summary

About this report

Childery generates this report from public inspection records published by the Wisconsin Department of Children and Families, Bureau of Early Care Regulation. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Wisconsin Department of Children and Families, Bureau of Early Care Regulation.