

MONKEYING AROUND PRESCHOOL

1903 CROSS ST
CROSS PLAINS, WI

2 Inspection Visits Since 2024 · 4 Findings

Most recent inspection: Sep 23, 2025

● 4 Important

Across 2 inspections since 2024, the issues cited most often were 250.06(2)(a) (2), Electrical Or Hot Surface Protection (1), and Continuation License - Application Materials Submission Date (1). None of the 4 findings were critical.

Inspection Visits

Sep 23, 2025 2 Findings ● 2 Important

● **Electrical Or Hot Surface Protection**

250.06(2)(a)

An electric outlet, accessible to children, was not protected by screens or guards.

● **250.06(2)(a)**

Rule Number

Rule Summary

Sep 9, 2024 2 Findings ● 2 Important

● **Continuation License - Application Materials Submission Date**

250.11(5)(b)

At least 30 days before the continuation review date of the license, an applicant for

● **250.11(5)(b)**

Rule Number

Rule Summary

About this report

Childery generates this report from public inspection records published by the Wisconsin Department of Children and Families, Bureau of Early Care Regulation. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Wisconsin Department of Children and Families, Bureau of Early Care Regulation.