

KAY'S LITTLE CRUISERS

2951 N 26TH ST
MILWAUKEE, WI

4 Inspection Visits Since 2023 · 14 Findings

Most recent inspection: May 6, 2026

● 14 Important

Across 4 inspections since 2023, the issues cited most often were 250.05(3)(e)2. (5), Provider Training - Current Cpr Certificate (3), and Radon - Continuous Testing (2). None of the 14 findings were critical.

Inspection Visits

May 6, 2026 3 Findings ● 3 Important

● **Provider Training - Current Cpr Certificate**

250.05(3)(e)2.

Staff (A.M) had an expired CPR certificate. Expired 3/12/2026.

● **Radon - Continuous Testing**

250.06(2)(n)5.

Radon tests must be completed every 2 years. The last test was completed on 8/3/2023. A new test was due on or before

● **250.05(3)(e)2.**

Rule Number

Rule Summary

Mar 12, 2026 1 Finding ● 1 Important

● **5/6/2026**

Date

Rule Number

Apr 23, 2025 9 Findings ● 9 Important

About this report

Childery generates this report from public inspection records published by the Wisconsin Department of Children and Families, Bureau of Early Care Regulation. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Wisconsin Department of Children and Families, Bureau of Early Care Regulation.

● **Current, Accurate Daily Attendance Record**

250.04(6)(b)

Attendance was not current and accurate at the time of the visit. A child who was no longer present at the center did no

● **Staff File - Background Check Results**

250.05(2)(b)

Staff A and Staff C who are employees do not have documentation of eligibility to work in a childcare center.

● **Biennial Training - Child Abuse & Neglect**

250.05(3)(fm)

Staff A does not have current biennial training in Child Abuse and Neglect. The training on file expired on 1/7/25.

● **Procedure - Number, Names, Whereabouts Known At All Times**

250.055(1)(L)

A child who is no longer present was still signed in as being present. The center uses their attendance sheets to meet

● **Smoke Detectors**

250.06(4)(a)1.

There is a chirping smoke detector which indicates it is not in good working condition.

● **250.05(2)(b)**

Rule Number

Rule Summary

● **250.05(3)(fm)**

Rule Number

Rule Summary

● **250.055(1)(L)**

Rule Number

Rule Summary

● **250.06(4)(a)1.**

Rule Number

Rule Summary

About this report

Childery generates this report from public inspection records published by the Wisconsin Department of Children and Families, Bureau of Early Care Regulation. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Wisconsin Department of Children and Families, Bureau of Early Care Regulation.

Aug 3, 2023 1 Finding ● 1 Important

● **4/23/2025**

Date

Rule Number

About this report

Childery generates this report from public inspection records published by the Wisconsin Department of Children and Families, Bureau of Early Care Regulation. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Wisconsin Department of Children and Families, Bureau of Early Care Regulation.