

# EINSTEIN SCHOOL

6426 NORMANDY LN  
MADISON, WI

## 13 Inspection Visits Since 2024 - 30 Findings

Most recent inspection: May 29, 2026

● 30 Important

Across 13 inspections since 2024, the issues cited most often were Report - Plan Of Correction (11), Food Storage - Refrigeration Units (8), and Staff Record - Completed Background Check (3). None of the 30 findings were critical.

## Inspection Visits

**May 29, 2026** 2 Findings ● 2 Important

● **Report - Plan Of Correction**

251.04(3)(f)

The center has not returned a plan of correction for violations cited during a monitoring visit on April 21, 2026, to th

● **251.04(3)(f)**

Rule Number

Rule Summary

**Apr 21, 2026** 7 Findings ● 7 Important

● **Monitoring Results Posted**

251.04(2)(L)1.a.

The results from the most recent monitoring visit on October 28, 2025, were not posted in an area visible to parents as

● **Staff Record - Completed Background Check**

251.05(2)(a)2.

Staff A did not have a completed background check on file as required.

● **Emergencies - Practice Written Plans**

251.06(3)(b)2.

A fire drill was not conducted in the month of March as required.

### About this report

Childery generates this report from public inspection records published by the Wisconsin Department of Children and Families, Bureau of Early Care Regulation. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Wisconsin Department of Children and Families, Bureau of Early Care Regulation.

● **Food Storage - Refrigeration Units**

251.06(9)(d)1.b.

A refrigerator was not maintained at a temperature of 40 degrees or lower when, during the monitoring visit, a refrigera

● **Indoor Equipment - Energy-Absorbing Surfaces**

251.07(3)(a)4.

A climber in a classroom did not have adequate an adequate energy absorbing surface beneath it. Mats were placed beneath

● **Naps Or Rest Periods - Sleeping Surfaces - Children 1 And OI**

251.07(4)(cm)

During the monitoring visit, nap mats with children sleeping on them were not placed at least 2 feet apart as required.

● **251.04(2)(L)1.a.**

Rule Number

Rule Summary

**Mar 9, 2026** 1 Finding ● 1 Important

● **Illegally Operating Program**

48.65(1)

Despite receiving a Notice of Revocation on February 10, 2026, the program continued to provided care and supervision fo

**Mar 5, 2026** 1 Finding ● 1 Important

● **Illegally Operating Program**

48.65(1)

10/28/2025

**Oct 28, 2025** 2 Findings ● 2 Important

● **Abusive Head Trauma Prevention Training**

251.05(3)(b)

During the monitoring visit, Staff A was working with children under age 5 but had not completed training in abusive hea

● **Child Abuse & Neglect - Biennial Training**

251.05(3)(cm)

During the monitoring visit, Staff A was working with children but had not completed training on child abuse and neglect

**About this report**

Childery generates this report from public inspection records published by the Wisconsin Department of Children and Families, Bureau of Early Care Regulation. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Wisconsin Department of Children and Families, Bureau of Early Care Regulation.

**Aug 6, 2025** 2 Findings ● 2 Important

● **Certificate Of Insurance - Dates Of Coverage**

251.04(2)(g)1.

The licensee has not submitted a current certificate of insurance to the department as required despite requests for it

● **Report - Plan Of Correction**

251.04(3)(f)

The licensee has not submitted a plan of correction for a violation cited during a desk review conducted on March 3, 202

**Jun 10, 2025** 4 Findings ● 4 Important

● **Monitoring Results Posted**

251.04(2)(L)1.a.

Monitoring results were not posted as required when non-compliance statements from 4/8/25, 3/13/25, and 12/5/24 were not

● **Department Notices Posted**

251.04(2)(L)1.b.

A warning letter from the department, send 4/14/25, was not posted near the license as required.

● **Washrooms - Sanitary Conditions**

251.06(10)(dm)1.

Washrooms were not in sanitary conditions when the bathroom connected to a preschool classroom had dirty sinks and toile

● **Emergencies - Practice Written Plans**

251.06(3)(b)2.

Emergency drills were not practiced as required when no fire or tornado drills were completed during the month of May.

**Jun 9, 2025** 2 Findings ● 2 Important

● **Certificate Of Insurance - Dates Of Coverage**

251.04(2)(g)1.

The licensee has not submitted a current certificate of insurance to the department as required despite requests for it

**About this report**

Childery generates this report from public inspection records published by the Wisconsin Department of Children and Families, Bureau of Early Care Regulation. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Wisconsin Department of Children and Families, Bureau of Early Care Regulation.

● **Report - Plan Of Correction**

251.04(3)(f)

The licensee has not submitted a plan of correction for a violation cited during a desk review conducted on March 3, 202

**Apr 8, 2025** 1 Finding ● 1 Important

● **Certificate Of Insurance - Dates Of Coverage**

251.04(2)(g)1.

The program failed to submit a current certificate of insurance to the department as required.

**Mar 3, 2025** 1 Finding ● 1 Important

● **Certificate Of Insurance - Dates Of Coverage**

251.04(2)(g)1.

The center has not provided the department with a current certificate of insurance as required.

**Feb 7, 2025** 2 Findings ● 2 Important

● **Report - Plan Of Correction**

251.04(3)(f)

The department has not received a plan of correction for violations cited during a monitoring visit on December 5, 2024.

● **Continuation License - Application Materials Submission**

251.11(4)(b)

The department has not received license continuation materials from the licensee as required, despite requests for the m

**Dec 9, 2024** 1 Finding ● 1 Important

● **Continuation License - Application Materials Submission**

251.11(4)(b)

At least 30 days before the continuation review date of the license, an applicant for

**Dec 5, 2024** 4 Findings ● 4 Important

**About this report**

Childery generates this report from public inspection records published by the Wisconsin Department of Children and Families, Bureau of Early Care Regulation. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Wisconsin Department of Children and Families, Bureau of Early Care Regulation.

**● Outdoor Play Space - Prohibited Surfaces**

251.06(11)(b)8.

Several playground climbers were placed on concrete, which is prohibited under climbing equipment.

**● Radon - Testing**

251.06(2)(p)1.a.

A radon test has not been completed at the center as required.

**● Emergencies - Practice Written Plans**

251.06(3)(b)2.

Emergency drills were not practiced in the months of October and November as required.

**● Fire Extinguishers - Operable, Inspected, Labeled**

251.06(4)(a)

Two fire extinguishers on the premises were not inspected within the past year when the last documented inspection was i

**About this report**

Childery generates this report from public inspection records published by the Wisconsin Department of Children and Families, Bureau of Early Care Regulation. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Wisconsin Department of Children and Families, Bureau of Early Care Regulation.