

LEGACY FAMILY CHILD CARE

3024 N 41ST ST
MILWAUKEE, WI

3 Inspection Visits Since 2024 · 23 Findings

Most recent inspection: Aug 6, 2025

● 23 Important

Across 3 inspections since 2024, the issues cited most often were 250.05(4)(c)4. (12), Premises - Condition & Repair (5), and Continuing Education - Documentation Of 12 Month Period (2). None of the 23 findings were critical.

Inspection Visits

Aug 6, 2025 4 Findings ● 4 Important

● **Continuing Education - Documentation Of 12 Month Period**

250.05(4)(c)4.

Staff A did not have the required 15 hours of continuing education on file for the previous year.

● **Premises - Condition & Repair**

250.06(2)(m)

Window blinds on the window near the pack and play had several slats that were broken.

● **250.05(4)(c)4.**

Rule Number

Rule Summary

● **250.06(2)(m)**

Rule Number

Rule Summary

Sep 10, 2024 2 Findings ● 2 Important

● **Continuation License - Application Materials Submission Date**

250.11(5)(b)

8/16/2024

About this report

Childery generates this report from public inspection records published by the Wisconsin Department of Children and Families, Bureau of Early Care Regulation. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Wisconsin Department of Children and Families, Bureau of Early Care Regulation.

- **250.11(5)(b)**
Rule Number
Rule Summary

Aug 16, 2024 17 Findings ● 17 Important

- **Biennial Training - Child Abuse & Neglect**
250.05(3)(fm)

Staff A does not have an updated biennial child abuse and neglect certificate on file for review (expired 3/2024).

- **Requirements For Additional Provider**
250.055(2)(c)

Seven children were in care during licensing visit. Due to ages present, a second provider was required (three under ag

- **Access To Materials Potentially Harmful To Children**
250.06(2)(c)

A can of spray disinfectant was on a shelf in the bathroom that was accessible to children.

- **Premises - Condition & Repair**
250.06(2)(m)

A small garbage container in the outdoor play space was filled with water which could present a hazard to children.

- **Safe Food**
250.06(9)(c)

Several open containers of Pedialyte were observed in the kitchen refrigerator with best used by dated of May 2021 and J

- **Leftover Food**
250.06(9)(e)

A bowl of leftover food was observed in the kitchen refrigerator that was not labeled/dated to ensure it is used within

- **Naps - Sleep Surface - Child Under 1 Year**
250.07(4)(cm)

The two pack and plays were observed to have holes in the netting which could present a hazard to infants.

- **Pets & Animals - Excrement**
250.07(7)(g)

Pet feces/excrement was observed in the outdoor play space.

About this report

Childery generates this report from public inspection records published by the Wisconsin Department of Children and Families, Bureau of Early Care Regulation. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Wisconsin Department of Children and Families, Bureau of Early Care Regulation.

● **250.05(3)(e)2.**

Rule Number

Rule Summary

● **250.05(3)(fm)**

Rule Number

Rule Summary

● **250.055(2)(c)**

Rule Number

Rule Summary

● **250.06(2)(c)**

Rule Number

Rule Summary

● **250.06(2)(m)**

Rule Number

Rule Summary

● **250.06(9)(c)**

Rule Number

Rule Summary

● **250.06(9)(e)**

Rule Number

Rule Summary

● **250.07(4)(cm)**

Rule Number

Rule Summary

● **250.07(7)(g)**

Rule Number

Rule Summary

About this report

Childery generates this report from public inspection records published by the Wisconsin Department of Children and Families, Bureau of Early Care Regulation. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Wisconsin Department of Children and Families, Bureau of Early Care Regulation.