

YELLOW BRICK ACADEMY LLC

1620 OHM AVE 1517 ALTOONA AVE
EAU CLAIRE, WI

4 Inspection Visits Since 2024 - 26 Findings

Most recent inspection: May 28, 2026

● 26 Important

Across 4 inspections since 2024, the issues cited most often were 251.05(3)(c) (13), Cardiopulmonary Resuscitation Training (5), and Emergencies - Practice Written Plans (3). None of the 26 findings were critical.

Inspection Visits

May 28, 2026 12 Findings ● 12 Important

● **Cardiopulmonary Resuscitation Training**

251.05(3)(c)

When reviewing staff files, it was found that two employees (Staff A and C) didn't have current CPR certification, which

● **Child Abuse & Neglect - Biennial Training**

251.05(3)(cm)

It was found that two employees (Staff A and C) didn't have documentation of current Child Abuse and Neglect Training, w

● **Staff Orientation - Develop, Implement, Document**

251.05(4)(a)

Although staff complete an orientation when hired, the form/checklist being used to document the orientation, does not c

● **Continuing Education - Documentation Of 12 Month Period**

251.05(4)(c)9.

A staff file review showed three employees (Staff A, B, and C) were missing documentation of continuing education hours

● **Supervision - Opening & Closing Hours**

251.055(1)(c)

Rule states in pertinent part 'Assistant child care teachers who are at least 18 years of age and have completed the tra

About this report

Childery generates this report from public inspection records published by the Wisconsin Department of Children and Families, Bureau of Early Care Regulation. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Wisconsin Department of Children and Families, Bureau of Early Care Regulation.

● **Emergencies - Practice Written Plans**

251.06(3)(b)2.

Center staff was unable to show documentation of the completion of monthly Fire evacuation drills and monthly tornado drills

● **251.05(3)(c)**

Rule Number

Rule Summary

● **251.05(3)(cm)**

Rule Number

Rule Summary

● **251.05(4)(a)**

Rule Number

Rule Summary

● **251.05(4)(c)9.**

Rule Number

Rule Summary

● **251.055(1)(c)**

Rule Number

Rule Summary

● **251.06(3)(b)2.**

Rule Number

Rule Summary

Oct 29, 2025 6 Findings ● 6 Important

● **Emergencies - Practice Written Plans**

251.06(3)(b)2.

Rule states "Each center shall practice the fire evacuation plan monthly, and tornado drills monthly from April through

● **Medical Log - Observation Or Evidence Of Injury**

251.07(6)(dm)3.a.

Rule states "A child care worker shall record any evidence of unusual bruises, contusions, lacerations, or burns seen on

About this report

Childery generates this report from public inspection records published by the Wisconsin Department of Children and Families, Bureau of Early Care Regulation. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Wisconsin Department of Children and Families, Bureau of Early Care Regulation.

● **Medical Log - Reviewing Injury Records**

251.07(6)(dm)4.

Rule states "The director or director's designee shall review records of injuries with staff every six months to ensure

● **251.06(3)(b)2.**

Rule Number

Rule Summary

● **251.07(6)(dm)3.a.**

Rule Number

Rule Summary

● **251.07(6)(dm)4.**

Rule Number

Rule Summary

May 20, 2025 2 Findings ● 2 Important

● **Staff Record - Completed Background Check**

251.05(2)(a)2.

Fingerprints not completed for the following individuals: Individual 001

● **251.05(2)(a)2.**

Rule Number

Rule Summary

Nov 21, 2024 6 Findings ● 6 Important

● **Copy Of Rules Available**

251.04(4)(f)

On this date, a copy of the DCF 251 Licensing Rules was not posted or available in an area of the center where parents w

● **Copy Of Policies Available**

251.04(4)(g)

On this date, a copy of the center's child care policies were not available to the parents in an area of the center acce

● **Toilet Room Door Locks**

251.06(10)(g)

Rule states "Toilet room door locks shall be openable from the outside and the opening device shall be readily accessibl

About this report

Childery generates this report from public inspection records published by the Wisconsin Department of Children and Families, Bureau of Early Care Regulation. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Wisconsin Department of Children and Families, Bureau of Early Care Regulation.

● **251.04(4)(f)**
Rule Number
Rule Summary

● **251.04(4)(g)**
Rule Number
Rule Summary

● **251.06(10)(g)**
Rule Number
Rule Summary

About this report

Childery generates this report from public inspection records published by the Wisconsin Department of Children and Families, Bureau of Early Care Regulation. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Wisconsin Department of Children and Families, Bureau of Early Care Regulation.