

STEPPING MILESTONES LRNG ACADEMY

5312 W BURLEIGH ST
MILWAUKEE, WI

4 Inspection Visits Since 2024 · 30 Findings

Most recent inspection: Feb 3, 2026

● 30 Important

Across 4 inspections since 2024, the issues cited most often were Staff Record - Physical Examination (12), Outdoor Play Space - Enclosure (10), and Supervision - Teacher Per Group Of Children (5). None of the 30 findings were critical.

Inspection Visits

Feb 3, 2026 5 Findings ● 5 Important

● **Child Record - Immunization History**

251.04(6)(a)6m.

Child b did not have a completed immunization record form on file

● **Child Record - Health Exam Report**

251.04(6)(a)8.d.

Child an and b did not have an updated mandated reporter to date health exam on file. Child 2 and under must have one co

● **Staff Record - Physical Examination**

251.05(2)(a)3.a.

No health report on file for staff 1.

● **Cardiopulmonary Resuscitation Training**

251.05(3)(c)

1staff person (staff 1) did not have a CPR training certificate on file.

● **Child Abuse & Neglect - Biennial Training**

251.05(3)(cm)

2 staff (staff 1 and 2) did not have an updated mandated reporter training. Child abuse and neglect training must be co

Jun 5, 2025 10 Findings ● 10 Important

About this report

Childery generates this report from public inspection records published by the Wisconsin Department of Children and Families, Bureau of Early Care Regulation. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Wisconsin Department of Children and Families, Bureau of Early Care Regulation.

● **Staff Record - Completed Background Check**

251.05(2)(a)2.

No background check for staff file reviewed did not

● **Abusive Head Trauma Prevention Training**

251.05(3)(b)

Staff lacked required training

● **Child Abuse & Neglect - Biennial Training**

251.05(3)(cm)

Staff lacked required training

● **Supervision - Teacher Per Group Of Children**

251.055(1)(b)

No lead teacher qualified staff working in ratio the three year old class

● **Child Tracking Procedure**

251.055(1)(f)

13 year old child in the infant classroom without being tracked as present. No tracking for child present in the 3 to 5

● **Mixed-Age Group - Staff-To-Child Ratio**

251.055(2)(c)

Group in infant room was at 1.056 and required a second teacher

● **Outdoor Play Space - Enclosure**

251.06(11)(b)7.

Large gap in the south east corner of the outdoor play area observed in violation of rule

● **Electrical Or Hot Surface Protection**

251.06(2)(b)

Electrical outlets not properly covered in the 3 year old room

● **Deteriorating Paint**

251.06(2)(i)

Flaking paint observed on yellow boards in the outdoor play space

● **Infant & Toddler - Diaper Changing Surface Disinfection**

251.09(4)(a)3.

Diaper changing pad torn and not capable of proper disinfection

Oct 15, 2024 5 Findings ● 5 Important

About this report

Childery generates this report from public inspection records published by the Wisconsin Department of Children and Families, Bureau of Early Care Regulation. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Wisconsin Department of Children and Families, Bureau of Early Care Regulation.

● **Staff Record - Completed Background Check**

251.05(2)(a)2.

Staff person 1 working alone in the infant room lacked a CBC background check

● **Abusive Head Trauma Prevention Training**

251.05(3)(b)

Staff 1 and 4 lacked abusive head trauma training in file

● **Cardiopulmonary Resuscitation Training**

251.05(3)(c)

Staff 4 lacked CPR training in file

● **Child Care Teacher - Entry-Level Training**

251.05(3)(f)3.

Staff 4 lacked documentation of introductory training

● **Supervision - Teacher Per Group Of Children**

251.055(1)(b)

No lead teacher qualified staff in the preschool age classroom. Staff working alone in infant room not teacher qualified

Oct 3, 2024 10 Findings ● 10 Important

● **Staff Record - Completed Background Check**

251.05(2)(a)2.

Staff person working in the infant room lacked a CBC background

● **Abusive Head Trauma Prevention Training**

251.05(3)(b)

Staff file reviewed lacked any documentation of abusive head trauma training

● **Child Tracking Procedure**

251.055(1)(f)

Child moved from toddler room to infant room during nap without tracking

● **Potty Chairs - Disinfected**

251.06(10)(dm)2.

Potty chair not emptied or disinfected as required

● **Toilet Room Door Locks**

251.06(10)(g)

No readily available device to open bathroom door lock

About this report

Childery generates this report from public inspection records published by the Wisconsin Department of Children and Families, Bureau of Early Care Regulation. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Wisconsin Department of Children and Families, Bureau of Early Care Regulation.

● **Outdoor Play Space - Enclosure**

251.06(11)(b)7.

Large gap under northwest corner of the playground enclosure

● **Potential Source Of Harm On Premises**

251.06(2)(a)

Sharp rusty broken fence accessible, to children in outdoor play space

● **Fire Extinguishers - Operable, Inspected, Labeled**

251.06(4)(a)

Fire extinguisher tagged for November of 2022

● **Food Storage - Refrigeration Units**

251.06(9)(d)1.b.

Refrigerator measured at 50 degrees

● **Food Storage - Dry Food**

251.06(9)(d)2.a.

Dry crackers stored open in original, sleeve and not zip style bags or plastic containers as required

About this report

Childery generates this report from public inspection records published by the Wisconsin Department of Children and Families, Bureau of Early Care Regulation. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Wisconsin Department of Children and Families, Bureau of Early Care Regulation.