

## APPLE RIDGE ACADEMY

3250 S 166TH ST  
NEW BERLIN, WI

### 7 Inspection Visits Since 2024 · 30 Findings

Most recent inspection: Apr 1, 2026

● 30 Important

Across 7 inspections since 2024, the issues cited most often were Outdoor Play Space - Energy-Absorbing Surfaces (10), Medical Log - Pages & Entries (6), and Infant & Toddler - Documenting Changes In Development (5). None of the 30 findings were critical.

### Inspection Visits

**Apr 1, 2026** 9 Findings ● 9 Important

● **Child Tracking Procedure**

251.055(1)(f)

The center's child tracking procedure was not accurate on 04/01/26, when 6 children were present in the Infant 2 classro

● **Outdoor Play Space - Energy-Absorbing Surfaces**

251.06(11)(b)5.

The energy-absorbing surface (mulch/wood chips) was observed to not be at a depth of at least nine inches underneath a s

● **Outdoor Play Space - Enclosure**

251.06(11)(b)7.

There is a gap greater than 4 inches underneath the fence which makes up the outdoor play space enclosure.

● **Potential Source Of Harm On Premises**

251.06(2)(a)

Several pacifiers with rubber and hard beads attached were observed in the Infant 1 classroom. These beads pose a poten

● **Fire Alarms & Smoke Detectors - Testing**

251.06(4)(jm)2.

Fire alarm testing was not documented for February-March 2026.

#### About this report

Childery generates this report from public inspection records published by the Wisconsin Department of Children and Families, Bureau of Early Care Regulation. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Wisconsin Department of Children and Families, Bureau of Early Care Regulation.

● **Food Storage - Refrigeration Units**

251.06(9)(d)1.b.

A cold storage thermometer in the freezer in Infant 1 room containing breast milk reads 4 degrees Fahrenheit.

● **Medical Log - Pages & Entries**

251.07(6)(dm)2.

In the two's classroom, there are two entries in the medical log book that are not dated.

● **Infant & Toddler - Documenting Changes In Development**

251.09(1)(c)

Changes in development and routines are not documented every 3 months based on a discussion with the parent for 2 childr

● **Infant & Toddler - Correct Food, Breastmilk, Or Formula**

251.09(3)(a)2m.

On 03/31/26 incorrect breast milk was given to a child in the Infant 1 classroom.

**Dec 11, 2025** 2 Findings ● 2 Important

● **Staff Record - Days & Hours Worked**

251.05(2)(a)6.

Documentation of staff hours worked and in which classroom was not accurate for the Toddle 2 room or the Toddler 1 room.

● **Infant & Toddler - Food & Formula Brought From Home**

251.09(3)(a)2.

In the infant 2 room a container of infant formula didn't contain a label with a date.

**Nov 18, 2025** 1 Finding ● 1 Important

● **Infant & Toddler - Correct Food, Breastmilk, Or Formula**

251.09(3)(a)2m.

An infant was accidently feed incorrect breastmilk

**Aug 26, 2025** 6 Findings ● 6 Important

● **Health, Safety & Welfare Of Children**

251.04(2)(m)

A child was assisted off the the floor by their hands and not under their arms causing a nurse maid elbow injury on 8/12

**About this report**

Childery generates this report from public inspection records published by the Wisconsin Department of Children and Families, Bureau of Early Care Regulation. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Wisconsin Department of Children and Families, Bureau of Early Care Regulation.

● **Time Out - Age**

251.07(2)(c)1.

Based on an interview with staff and video footage a toddler, aged 1.5 years old) was placed in time-out.

● **Time Out - Time**

251.07(2)(c)3.

Based on an interview with staff and video footage a toddler, aged 1.5 years old) was placed in time-out that exceed 3 m

● **Time Out - Not Isolated**

251.07(2)(c)4.

Based on an interview with staff and video footage a toddler, aged 1.5 years old) was placed in time-out that removed th

● **Washing Child's Hands & Face**

251.07(6)(i)1.

Children's hands were not washed after diapering on 8/12/2025.

● **Adult Handwashing**

251.07(6)(i)2.

Staff did not wash their hands before or after diapering multiple children. on 8/12/2025.

**Jul 17, 2025** 5 Findings ● 5 Important

● **Health, Safety & Welfare Of Children**

251.04(2)(m)

Children were allowed to sit on the outside of a tube slide and a 6 year old child fell off the slide causing the child

● **Supervision Of Children**

251.055(1)(a)

Staff failed to guide children's behavior and ensure safety when children were allowed to climb on the outside of a circ

● **Child Tracking Procedure**

251.055(1)(f)

The tracking procedure was not properly implemented in the Infant 2 room as 6 children were listed on the tracking, but

● **Washrooms - Sanitary Conditions**

251.06(10)(dm)1.

Urine was observed in an unflushed toilet.

**About this report**

Childery generates this report from public inspection records published by the Wisconsin Department of Children and Families, Bureau of Early Care Regulation. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Wisconsin Department of Children and Families, Bureau of Early Care Regulation.

● **Fire Extinguishers - Operable, Inspected, Labeled**

251.06(4)(a)

The fire extinguishers were observed not checked yearly. The last check was June 2024.

**Feb 25, 2025** 5 Findings ● 5 Important

● **Child Record - Health History**

251.04(6)(a)6.

Child #1's health history information was observed incomplete.

● **Cardiopulmonary Resuscitation Training**

251.05(3)(c)

A current infant/child CPR/AED training certificate was not on file for Staff B.

● **Access To Materials Potentially Harmful To Children**

251.06(2)(d)

Cleaning supplies were observed accessible to children in the Preschool 2 bathroom.

● **Food Storage - Refrigeration Units**

251.06(9)(d)1.b.

The refrigerator in the Infant room and the Toddler 1 room were observed above 40 degrees F. The freezer in the Toddler

● **Infant & Toddler - Documenting Changes In Development**

251.09(1)(c)

Documented changes in development were incomplete for a child's intake form that was reviewed.

**Jul 15, 2024** 2 Findings ● 2 Important

● **Meal Prep Personnel - Training**

251.05(3)(gr)3.a.

Meal prep personnel did not have one hour of continuing education in kitchen sanitation.

● **Outdoor Play Space - Energy-Absorbing Surfaces**

251.06(11)(b)5.

Mats that do not meet the energy-absorbing surface or depth were observed under one of the swing/slide play sets.  
Energy

**About this report**

Childery generates this report from public inspection records published by the Wisconsin Department of Children and Families, Bureau of Early Care Regulation. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Wisconsin Department of Children and Families, Bureau of Early Care Regulation.