

SHARING AND CARING FCC

4404 W HAMPTON AVE
MILWAUKEE, WI

3 Inspection Visits Since 2024 · 20 Findings

Most recent inspection: Jul 24, 2025

● 20 Important

Across 3 inspections since 2024, the issues cited most often were 250.04(6)(a)4m. (10), Staff File - Continuing Education (5), and Radon - Testing (3). None of the 20 findings were critical.

Inspection Visits

Jul 24, 2025 10 Findings ● 10 Important

● **Child Record - Immunization History Compliance**

250.04(6)(a)4m.

There was no documentation of an immunization history for Child #2.

● **Staff File - Continuing Education**

250.05(2)(f)

There is no documentation of continuing education for 2024 for Staff A.

● **Provider Training - Current Cpr Certificate**

250.05(3)(e)2.

There was no documentation of a current CPR/First Aid Training for Staff A.

● **Biennial Training - Child Abuse & Neglect**

250.05(3)(fm)

There was no documentation of a current Mandated Reporter Training for Staff A.

● **Radon - Testing**

250.06(2)(n)1.a.

There was no documentation of a Radon Test conducted at the center.

● **250.04(6)(a)4m.**

Rule Number

Rule Summary

About this report

Childery generates this report from public inspection records published by the Wisconsin Department of Children and Families, Bureau of Early Care Regulation. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Wisconsin Department of Children and Families, Bureau of Early Care Regulation.

● **250.05(2)(f)**
Rule Number
Rule Summary

● **250.05(3)(e)2.**
Rule Number
Rule Summary

● **250.05(3)(fm)**
Rule Number
Rule Summary

● **250.06(2)(n)1.a.**
Rule Number
Rule Summary

Sep 5, 2024 8 Findings ● 8 Important

● **Staff File - Continuing Education**
250.05(2)(f)
There was no documentation of continuing education from 2023.

● **Provider Training - Current Cpr Certificate**
250.05(3)(e)2.
There was no documentation of a current CPR/First Aid Training for Staff A.

● **Radon - Testing**
250.06(2)(n)1.a.
There was no Radon Test conducted as required in 2023.

● **Emergency Plans - Practice**
250.06(3)(b)
There was no documentation of a tornado & fire drill for the month of August 2024.

● **250.05(2)(f)**
Rule Number
Rule Summary

● **250.05(3)(e)2.**
Rule Number
Rule Summary

About this report

Childery generates this report from public inspection records published by the Wisconsin Department of Children and Families, Bureau of Early Care Regulation. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Wisconsin Department of Children and Families, Bureau of Early Care Regulation.

● **250.06(2)(n)1.a.**

Rule Number

Rule Summary

● **250.06(3)(b)**

Rule Number

Rule Summary

Aug 1, 2024 2 Findings ● 2 Important

● **Department Access To Center**

250.12(2)

Attempted to inspect the facility on July 25, 2024 and August 1, 2024, but no response to the doorbell and/or knocks on

● **250.12(2)**

Rule Number

Rule Summary

About this report

Childery generates this report from public inspection records published by the Wisconsin Department of Children and Families, Bureau of Early Care Regulation. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Wisconsin Department of Children and Families, Bureau of Early Care Regulation.