

# CHILDREN ADVOCATES FAMILY CENTER

2600 W VLIET ST  
MILWAUKEE, WI

## 3 Inspection Visits Since 2025 - 30 Findings

Most recent inspection: Feb 12, 2026

● 30 Important

Across 3 inspections since 2025, the issues cited most often were Bathroom Supplies (9), Monitoring Results Posted (7), and 251.04(2)(L)1.a. (7). None of the 30 findings were critical.

## Inspection Visits

**Feb 12, 2026** 19 Findings ● 19 Important

● **Monitoring Results Posted**

251.04(2)(L)1.a.

Previous monitoring results were not posted

● **Child Record - Enrollment Information**

251.04(6)(a)1.

Child 1-7 did not have a first day of attendance date listed on enrollment form

● **Child Record - Health History**

251.04(6)(a)6.

Child 1,2, 3 & 5 did not have a complete health history emergency care plan available in file for review

● **Child Record - Immunization History**

251.04(6)(a)6m.

Child 6 & 7 did not have immunization records in file for review

● **Child Record - Physical Exam - Under 2**

251.04(6)(a)8.a.

Child 1 ,3 & 4 did not have a health report available in file for review

● **Staff Record - Days & Hours Worked**

251.05(2)(a)6.

Staff included in child ratio was not documented on attendance sheet

### About this report

Childery generates this report from public inspection records published by the Wisconsin Department of Children and Families, Bureau of Early Care Regulation. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Wisconsin Department of Children and Families, Bureau of Early Care Regulation.

● **Bathroom Supplies**

251.06(10)(f)

Paper towel was not accessible to children in care

● **Electrical Or Hot Surface Protection**

251.06(2)(b)

Electrical outlets were accessible to children in care in infant room

● **Emergencies - Record Of Fire /Tornado Drills**

251.06(3)(b)4.

Fire drills were not practiced or documented for the months of January

● **Fire Alarms & Smoke Detectors - Testing**

251.06(4)(jm)2.

Smoke detectors were not tested or documented for the month of January.

● **Food Storage - Refrigeration Units**

251.06(9)(d)1.b.

Refridgerator was broke and not in use and thermometers did not have accurate reading of temps

● **Food Storage - Dry Food**

251.06(9)(d)2.a.

Cereal was observed in original packaging, not in food grade containers or labeled

● **251.04(2)(L)1.a.**

Rule Number

Rule Summary

● **251.04(6)(a)1.**

Rule Number

Rule Summary

● **251.04(6)(a)6.**

Rule Number

Rule Summary

● **251.04(6)(a)6m.**

Rule Number

Rule Summary

**About this report**

Childery generates this report from public inspection records published by the Wisconsin Department of Children and Families, Bureau of Early Care Regulation. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Wisconsin Department of Children and Families, Bureau of Early Care Regulation.

● **251.04(6)(a)8.a.**

Rule Number

Rule Summary

● **251.05(2)(a)6.**

Rule Number

Rule Summary

● **251.06(10)(f)**

Rule Number

Rule Summary

**Feb 6, 2026** 1 Finding ● 1 Important

● **Continuation License - Application Materials Submission**

251.11(4)(b)

12/8/2025

**Dec 8, 2025** 10 Findings ● 10 Important

● **Child Record - Health History**

251.04(6)(a)6.

Child 5 did not have a health history and emergency care plan complete in file for review

● **Child Record - Immunization History**

251.04(6)(a)6m.

Child 6 & 7 did not have immunization records or documentation in file for review

● **Abusive Head Trauma Prevention Training**

251.05(3)(b)

Staff B did not have a AHT certificate or documentation in file for review

● **Child Tracking Procedure**

251.055(1)(f)

Child tracking procedures were not practiced and implemented during monitoring visit

● **Electrical Or Hot Surface Protection**

251.06(2)(b)

Outlets were exposed and accessible to children in infant room

**About this report**

Childery generates this report from public inspection records published by the Wisconsin Department of Children and Families, Bureau of Early Care Regulation. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Wisconsin Department of Children and Families, Bureau of Early Care Regulation.

● **Fire Extinguishers - Operable, Inspected, Labeled**

251.06(4)(a)

Fire extinguisher did not have an inspection tag available for review

● **Food Storage - Dry Food**

251.06(9)(d)2.a.

Cereal was observed without labels on containers

● **Naps Or Rest Periods - Sleeping Surfaces - Children Under 1**

251.07(4)(c)

Child was observed in high chair sleeping instead of a safe pack n play or crib

● **Infant & Toddler - Intake Information**

251.09(1)(am)

Child 3 did not have a complete intake for child under 2 form complete in file for review

● **Infant & Toddler - Soft Materials In Cribs**

251.09(1)(L)

Blankets were observed in cribs with sleeping children

**About this report**

Childery generates this report from public inspection records published by the Wisconsin Department of Children and Families, Bureau of Early Care Regulation. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Wisconsin Department of Children and Families, Bureau of Early Care Regulation.