

LITTLE BLESSINGS PRESCHOOL

7291 COUNTY
ROAD PD VERONA, WI

2 Inspection Visits Since 2024 · 6 Findings

Most recent inspection: Oct 2, 2025



6 Important

Across 2 inspections since 2024, the issues cited most often were 251.06(11)(b)5. (3), Outdoor Play Space - Energy-Absorbing Surfaces (1), and Staff Record - Physical Examination (1). None of the 6 findings were critical.

Inspection Visits

Oct 2, 2025 2 Findings 2 Important

Outdoor Play Space - Energy-Absorbing Surfaces

251.06(11)(b)5.

The energy absorbing material under climbing equipment, swings and slides was not in a depth of at least 9 inches as req

251.06(11)(b)5.

Rule Number

Rule Summary

Nov 5, 2024 4 Findings 4 Important

Staff Record - Physical Examination

251.05(2)(a)3.a.

Staff B did not have a physical examination report on file due within 30 days of start date.

Trampolines & Inflatable Bounce Surfaces

251.07(3)(f)

Two small trampolines were accessible to children in care when they were observed in both the 3K and 4K classrooms.

251.05(2)(a)3.a.

Rule Number

Rule Summary

About this report

Childery generates this report from public inspection records published by the Wisconsin Department of Children and Families, Bureau of Early Care Regulation. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Wisconsin Department of Children and Families, Bureau of Early Care Regulation.

- **251.07(3)(f)**
Rule Number
Rule Summary

About this report

Childery generates this report from public inspection records published by the Wisconsin Department of Children and Families, Bureau of Early Care Regulation. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Wisconsin Department of Children and Families, Bureau of Early Care Regulation.