

LITTLE RED PRESCHOOL

7739 TERRACE AVE MIDDLETON WI 53562

WI

3 Inspection Visits Since 2025 · 20 Findings

Most recent inspection: May 15, 2026

- 20 Important

Across 3 inspections since 2025, the issues cited most often were 251.05(2)(a)3.a. (10), Outdoor Play Equipment - Construction, Condition (5), and Staff Record - Physical Examination (2). None of the 20 findings were critical.

Inspection Visits

May 15, 2026 12 Findings ● 12 Important

- **Staff Record - Physical Examination**

251.05(2)(a)3.a.

Staff D did not have a physical examination report within the 30 days of being hired that indicated the person was free

- **Staff Record - Orientation**

251.05(2)(a)8.

Staff D was missing documentation of having received and completed an orientation within the first week of starting to w

- **Outdoor Play Equipment - Construction, Condition**

251.06(11)(bm)3.

The outdoor equipment was unsafe, as a toy grill was broken and exposed screw were accessible to children in the outdoor

- **Access To Materials Potentially Harmful To Children**

251.06(2)(d)

Items marked keep out of the reach of children were stored in an unlocked cabinet and were in areas accessible to childr

- **Premises - Well Drained, Clean, In Good Repair**

251.06(2)(gm)

The premises were not maintained in good condition due to a toilet overflow in the purple room. A teacher was observed c

About this report

Childery generates this report from public inspection records published by the Wisconsin Department of Children and Families, Bureau of Early Care Regulation. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Wisconsin Department of Children and Families, Bureau of Early Care Regulation.

● **Wiping Bodily Secretions**

251.07(6)(g)1.

Children with runny noses were observed not having their bodily secretions wiped with a disposable tissue in a timely m

● **251.05(2)(a)3.a.**

Rule Number

Rule Summary

● **251.05(2)(a)8.**

Rule Number

Rule Summary

● **251.06(11)(bm)3.**

Rule Number

Rule Summary

● **251.06(2)(d)**

Rule Number

Rule Summary

● **251.06(2)(gm)**

Rule Number

Rule Summary

● **251.07(6)(g)1.**

Rule Number

Rule Summary

Sep 11, 2025 4 Findings ● 4 Important

● **Potential Source Of Harm On Premises**

251.06(2)(a)

The premises outdoor was not free of hazards when there were some wide gap on the stairs by the Purple room, main entran

● **Access To Materials Potentially Harmful To Children**

251.06(2)(d)

Items marked keep out of the reach of children were accessible in multiple areas of the center.

About this report

Childery generates this report from public inspection records published by the Wisconsin Department of Children and Families, Bureau of Early Care Regulation. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Wisconsin Department of Children and Families, Bureau of Early Care Regulation.

● **251.06(2)(a)**
Rule Number
Rule Summary

● **251.06(2)(d)**
Rule Number
Rule Summary

Feb 6, 2025 4 Findings ● 4 Important

● **Supervision Of Children**
251.055(1)(a)
A Five Years Old Child Was Left Behind When The Teacher Took A Group Of Children Outside And Forgot One Child Was Using

● **Child Tracking Procedure**
251.055(1)(f)
Staff member failed to follow the center child tracking procedure when a A Five Years Old Child Was Left Behind When The

● **251.055(1)(a)**
Rule Number
Rule Summary

● **251.055(1)(f)**
Rule Number
Rule Summary

About this report

Childery generates this report from public inspection records published by the Wisconsin Department of Children and Families, Bureau of Early Care Regulation. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Wisconsin Department of Children and Families, Bureau of Early Care Regulation.