

LITTLE BLESSINGS CHILDCARE

5314 N 45TH ST
MILWAUKEE, WI

3 Inspection Visits Since 2024 · 30 Findings

Most recent inspection: Mar 5, 2026

● 30 Important

Across 3 inspections since 2024, the issues cited most often were Outdoor Play Space - Enclosure (15), Staff File - Continuing Education (7), and Child Record - Enrollment Information (6). None of the 30 findings were critical.

Inspection Visits

Mar 5, 2026 7 Findings ● 7 Important

● **Child Record - Enrollment Information**

250.04(6)(a)1.

Enrollment information was incomplete for three of the four child files reviewed. Files lacked contact information for

● **Current, Accurate Daily Attendance Record**

250.04(6)(b)

Attendance was not current and accurate upon licensing review. A child was present at the facility, but was not signed

● **Staff File - Continuing Education**

250.05(2)(f)

Staff lacked documentation of 15 hours of continuing education for 2025. 13.5 hours were noted for Staff s continuing ed

● **Outdoor Play Space - Enclosure**

250.06(11)(b)4.

The outdoor play space lacked a complete enclosure without open areas greater than four inches. A gap was observed betw

● **Access To Materials Potentially Harmful To Children**

250.06(2)(c)

Materials potentially harmful to children were not stored in areas inaccessible at the time of licensing visit. A bathr

About this report

Childery generates this report from public inspection records published by the Wisconsin Department of Children and Families, Bureau of Early Care Regulation. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Wisconsin Department of Children and Families, Bureau of Early Care Regulation.

● **Deteriorating Or Toxic Paint**

250.06(2)(k)

The premise was not free from flaking and deteriorating paint at the time of licensing visit. Flaking paint was noted o

● **Smoke Detectors**

250.06(4)(a)1.

Smoke detectors were not maintained in good working order at the time of licensing visit. A smoke detector was observed

Sep 2, 2025 13 Findings ● 13 Important

● **Child Record - Health History**

250.04(6)(a)1m.

The health history forms on file for Child #2 is lacking information; the form states the child has a milk allergy but t

● **Current, Accurate Daily Attendance Record**

250.04(6)(b)

The attendance record was not accurate when licensing arrived for the visit. There were three children present, but only

● **Staff File - Continuing Education**

250.05(2)(f)

There was no record of 15 hours of continuing education for Staff A in 2024.

● **Biennial Training - Child Abuse & Neglect**

250.05(3)(fm)

The Child Abuse & Neglect certificate on file for Staff A expired in July 2024.

● **Staff Orientation - Documentation**

250.05(4)(a)

Staff C, identified as a volunteer, did not have a completed orientation on file.

● **Outdoor Play Space - Enclosure**

250.06(11)(b)4.

The outdoor play space is lacking a complete enclosure. There is an area of the fence, specifically the back gate, that

● **Access To Materials Potentially Harmful To Children**

250.06(2)(c)

There were several containers of cleaning aids below the kitchen sink. The cabinet door did have a lock on it but it was

About this report

Childery generates this report from public inspection records published by the Wisconsin Department of Children and Families, Bureau of Early Care Regulation. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Wisconsin Department of Children and Families, Bureau of Early Care Regulation.

● **Potential Source Of Harm On Premises**

250.06(2)(e)

There is nightshade in the outdoor play space that is accessible to children.

● **Premises - Condition & Repair**

250.06(2)(m)

There was a missing tile piece around a mirror in the bathroom.

● **Radon - Continuous Testing**

250.06(2)(n)5.

A radon test has not been completed within the last 2 years; the last test was done in March 2023.

● **Smoke Detectors**

250.06(4)(a)1.

At the time of the licensing visit, a smoke detector was heard chirping.

● **Medical Log Book - Pages And Entries**

250.07(6)(b)2.

There was an entry in the medical log book dated 8/19/25 that was not signed/initialed but the person who made the entry

● **Medication Administration - Parent Authorization**

250.07(6)(f)1.a.

Child #1 does not have a medication authorization form on file for the child s inhaler.

Sep 3, 2024 10 Findings ● 10 Important

● **Child Record - Physical Exam - Under 2**

250.04(6)(a)4.a.

Child #2 did not have an updated health report on file. The one on file was dated 1/30/24.

● **Current, Accurate Daily Attendance Record**

250.04(6)(b)

The attendance record was not accurate. There were six children present at the time of the licensing visit. None of the

● **Staff File - Days, Hours Worked**

250.05(2)(c)

Staff hours were not documented at the time of the licensing visit. Staff was not signed in on 9/3/24.

● **Staff File - Continuing Education**

250.05(2)(f)

There was no record of continuing education hours on file for 2023 for Staff A.

About this report

Childery generates this report from public inspection records published by the Wisconsin Department of Children and Families, Bureau of Early Care Regulation. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Wisconsin Department of Children and Families, Bureau of Early Care Regulation.

● **Biennial Training - Child Abuse & Neglect**

250.05(3)(fm)

There was no current Child Abuse & Neglect training certificate on file for Staff A. The one on file expired 7/2024.

● **Outdoor Play Space - Enclosure**

250.06(11)(b)4.

The outdoor play space is lacking a complete enclosure. There is an area of the fence that has a large gap which is over

● **Electrical Or Hot Surface Protection**

250.06(2)(a)

There was an outlet observed in the children's play area that was not protected with a guard.

● **Access To Materials Potentially Harmful To Children**

250.06(2)(c)

There was a container of disinfecting wipes on the bathroom counter, which was accessible to children. The label on the

● **Potential Source Of Harm On Premises**

250.06(2)(e)

There were several loose wires hanging outside on the back of the house, in the outdoor play space.

● **Leftover Food**

250.06(9)(e)

There were leftovers in the refrigerator that were not dated.

About this report

Childery generates this report from public inspection records published by the Wisconsin Department of Children and Families, Bureau of Early Care Regulation. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Wisconsin Department of Children and Families, Bureau of Early Care Regulation.