

GUADALUPE CENTER SOUTH

239 W WASHINGTON ST
MILWAUKEE, WI

3 Inspection Visits Since 2024 · 12 Findings

Most recent inspection: Dec 3, 2025

● 12 Important

Across 3 inspections since 2024, the issues cited most often were 251.06(2)(gm) (6), Premises - Well Drained, Clean, In Good Repair (5), and Staff Record - Physical Examination (1). None of the 12 findings were critical.

Inspection Visits

Dec 3, 2025 4 Findings ● 4 Important

● **Premises - Well Drained, Clean, In Good Repair**

251.06(2)(gm)

There was a bucket of salt with no lid near the main entrance accessible to children.

● **Fire Extinguishers - Operable, Inspected, Labeled**

251.06(4)(a)

The fire extinguisher in room on was not inspected. The label was dated 2022.

● **251.06(2)(gm)**

Rule Number

Rule Summary

● **251.06(4)(a)**

Rule Number

Rule Summary

May 1, 2025 4 Findings ● 4 Important

● **Staff Record - Physical Examination**

251.05(2)(a)3.a.

Staff B did not have a current health report on file.

About this report

Childery generates this report from public inspection records published by the Wisconsin Department of Children and Families, Bureau of Early Care Regulation. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Wisconsin Department of Children and Families, Bureau of Early Care Regulation.

● **Premises - Well Drained, Clean, In Good Repair**

251.06(2)(gm)

The toilet in room one was running water constantly and was not in good repair.

● **251.05(2)(a)3.a.**

Rule Number

Rule Summary

● **251.06(2)(gm)**

Rule Number

Rule Summary

Oct 2, 2024 4 Findings ● 4 Important

● **Emergencies - Record Of Fire / Tornado Drills**

251.06(3)(b)4.

There was no documentation of tornado drill for the month of September.

● **Safe Food**

251.06(9)(c)1.

There was cereal in room there that was not dated to ensure no spoilage.

● **251.06(9)(c)1.**

Rule Number

Rule Summary

● **251.06(3)(b)4.**

Rule Number

Rule Summary

About this report

Childery generates this report from public inspection records published by the Wisconsin Department of Children and Families, Bureau of Early Care Regulation. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Wisconsin Department of Children and Families, Bureau of Early Care Regulation.