

AMAZING KIDS DAYCARE

2420 7TH ST
CUMBERLAND, WI

1 Inspection Visit Since 2025 · 4 Findings

Most recent inspection: Oct 29, 2025



● 4 Important

Across 1 inspection since 2025, the issues cited most often were 250.06(6)(b)3.a. (2), Private Well - Lead Test (1), and Infant & Toddler - Diaper Changing Surface - Disinfection (1). None of the 4 findings were critical.

Inspection Visits

Oct 29, 2025 4 Findings ● 4 Important

● Private Well - Lead Test

250.06(6)(b)3.a.

Documentation of the test results for lead levels required for a private well was not available to the Licensor at the t

● Infant & Toddler - Diaper Changing Surface - Disinfection

250.09(4)(b)

Applicable rules under s. DCF 250.09(4) shall apply to child care workers when children 2 years of age and older require

● 250.06(6)(b)3.a.

Rule Number

Rule Summary

● 250.09(4)(b)

Rule Number

Rule Summary

About this report

Childery generates this report from public inspection records published by the Wisconsin Department of Children and Families, Bureau of Early Care Regulation. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Wisconsin Department of Children and Families, Bureau of Early Care Regulation.