

CROSSROADS KIDS CONNECTION

111 SOUTH ST
JOHNSON CREEK, WI

7 Inspection Visits Since 2024 · 30 Findings

Most recent inspection: Mar 11, 2026

● 30 Important

Across 7 inspections since 2024, the issues cited most often were Outdoor Play Space - Enclosure (11), Child Guidance - Prohibited Actions (8), and Child Record - Immunization History (4). None of the 30 findings were critical.

Inspection Visits

Mar 11, 2026 3 Findings ● 3 Important

● **Child Abuse & Neglect - Biennial Training**

251.05(3)(cm)

Training on Child Abuse and Neglect was not completed biennially as required when Staff A last completed the training on

● **Child Guidance - Prohibited Actions**

251.07(2)(e)

Actions were physically painful when a staff was heard yelling at a two year old child, telling them to "sit down" and w

● **251.05(3)(cm)**

Rule Number

Rule Summary

Feb 10, 2026 12 Findings ● 12 Important

● **Child Record - Immunization History**

251.04(6)(a)6m.

Child 1 did not have documentation that indicates the child's immunization history.

● **Child Record - Health Exam Report**

251.04(6)(a)8.d.

Child 1 did not have documentation of have a health examination within 6 months prior to enrollment and not more than 3

About this report

Childery generates this report from public inspection records published by the Wisconsin Department of Children and Families, Bureau of Early Care Regulation. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Wisconsin Department of Children and Families, Bureau of Early Care Regulation.

● **Outdoor Play Space - Enclosure**

251.06(11)(b)7.

The enclosure in the outdoor play space has an opening greater than 4 inches when a space between the swing gate and the

● **Potential Source Of Harm On Premises**

251.06(2)(a)

The indoor premises was not free of hazards when an area rug is not adhered to the floor and poses as a tripping hazard.

● **Premises - Well Drained, Clean, In Good Repair**

251.06(2)(gm)

The premise is not in good repair when there are several areas with cracked and missing tiles. Additionally, there is r

● **Deteriorating Paint**

251.06(2)(i)

In several classrooms and the bathrooms there is flaking and deterioration paint on areas accessible to children.

● **Emergencies - Routes And Shelter Areas Posted**

251.06(3)(b)1.

Tornado shelter areas are not posted.

● **Food Storage - Cold Storage Thermometers**

251.06(9)(d)1.c.

Each cold storage unit was not equipped with a clearly visible accurate thermometer when two refrigerators in the infant

● **Naps Or Rest Periods - Sleeping Surfaces - Children Under 1**

251.07(4)(c)

Each child under one year of age was not provided a pack n play placed at least 2 feet apart or end to end with a solid

● **Medical Log - Reviewing Injury Records**

251.07(6)(dm)4.

The medical log book was not reviewed every 6 months to ensure that all possible preventive measures are being taken whe

● **Medication Administration - Parent Authorization**

251.07(6)(f)1.a.

A written authorization for medication administration had a blanket authorization, which is prohibited.

● **Infant & Toddler - Crib Mattresses & Coverings**

251.09(1)(j)

Cribs did not contain a tight fitting mattress when there is a large gap between the mattress and crib in the Ones class

About this report

Childery generates this report from public inspection records published by the Wisconsin Department of Children and Families, Bureau of Early Care Regulation. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Wisconsin Department of Children and Families, Bureau of Early Care Regulation.

Jun 12, 2025 3 Findings ● 3 Important

● **Parent Notification - Injury, Consumption Of Allergen, Incon**

251.04(4)(a)2.c.

Parents were not notified when their child experienced a head injury while in care, as required.

● **Potential Source Of Harm On Premises**

251.06(2)(a)

The indoor premises was not free of hazards when a child slipped on an area rug that was not adhered to the floor, causing

● **Medical Log - Injury In Care**

251.07(6)(dm)3.b.

An injury received while a child was in care was not recorded in the medical log book with the child's name, date, and time

Feb 4, 2025 6 Findings ● 6 Important

● **Staff Record - Physical Examination**

251.05(2)(a)3.a.

Staff A did not have a physical examination report completed by a physician on file.

● **Premises - Well Drained, Clean, In Good Repair**

251.06(2)(gm)

A sink used by children in the two-year-old classroom had a broken handle.

● **Deteriorating Paint**

251.06(2)(i)

In several classrooms there was flaking paint on areas accessible to children.

● **Fire Extinguishers - Operable, Inspected, Labeled**

251.06(4)(a)

Fire extinguishers on the premises did not have a current label stating most recent inspection date and present condition

● **Medical Log - Reviewing Injury Records**

251.07(6)(dm)4.

The medical log in the two's classroom did not have documentation of review by director or designee.

● **Infant & Toddler - Documenting Changes In Development**

251.09(1)(c)

Intake forms under 2, in the one-year-old classroom did not have documented changes every 3 months.

About this report

Childery generates this report from public inspection records published by the Wisconsin Department of Children and Families, Bureau of Early Care Regulation. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Wisconsin Department of Children and Families, Bureau of Early Care Regulation.

Aug 28, 2024 1 Finding ● 1 Important

● **Medical Log - Injury In Care**

251.07(6)(dm)3.b.

A staff member did not record injuries in the medical logbook that occurred during care.

Jul 16, 2024 4 Findings ● 4 Important

● **Child Record - Physical Examination**

251.04(6)(a)8.

Child C did not have documentation of physical examination report on file.

● **Meal Prep Personnel - Training**

251.05(3)(gr)3.a.

Staff have not completed at least 4 hours of training in Kitchen sanitation, food handling and nutrition prior to begin

● **Outdoor Play Space - Energy-Absorbing Surfaces**

251.06(11)(b)5.

Areas around the swing and web climber did not have at least of 9 inches in required energy absorbing surface.

● **Adult Handwashing**

251.07(6)(i)2.

A staff member did not wash their hands in between assisting with diapering of children.

Jan 29, 2024 1 Finding ● 1 Important

● **3/11/2026**

Date

Rule Number

About this report

Childery generates this report from public inspection records published by the Wisconsin Department of Children and Families, Bureau of Early Care Regulation. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Wisconsin Department of Children and Families, Bureau of Early Care Regulation.