

INNOVATION STATION LLC

4120 N 128TH ST
BROOKFIELD, WI

3 Inspection Visits Since 2024 · 18 Findings

Most recent inspection: Apr 28, 2026

● 18 Important

Across 3 inspections since 2024, the issues cited most often were 251.05(2)(a)5. (9), Potential Source Of Harm On Premises (4), and Staff Record - High School Diploma (2). None of the 18 findings were critical.

Inspection Visits

Apr 28, 2026 14 Findings ● 14 Important

● **Staff Record - High School Diploma**

251.05(2)(a)5.

Based upon record review, staff B did not have documentation of their high school diploma within the staff file.

● **Potential Source Of Harm On Premises**

251.06(2)(a)

Based upon observation in infant room, mini 2 classroom, and Kindergarten classroom, the heat vent located on the floor

● **Deteriorating Paint**

251.06(2)(i)

Based upon observation, in Infant 2 and two year old classroom the paint was deteriorated by the door of the classroom

● **Exits & Passageways - Unobstructed, Minimum Width**

251.06(4)(d)

Based upon observation in the preschool classroom an exit was obstructed when a white cabinet was placed in-front of it

● **Naps Or Rest Periods - Sleeping Surfaces - Children Under 1**

251.07(4)(c)

Based upon observation, two cribs in the infant room were touching and set up in a T, not placed end to end as required.

About this report

Childery generates this report from public inspection records published by the Wisconsin Department of Children and Families, Bureau of Early Care Regulation. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Wisconsin Department of Children and Families, Bureau of Early Care Regulation.

● **Naps Or Rest Periods - Individual Bedding**

251.07(4)(d)

Based upon observation, the cots in the infant nap room were stored without a cover.

● **Infant & Toddler - Adult-Size Chairs**

251.09(2)(k)

Based upon observation, in infant room one there was on adult chair and two child care teachers present.

● **251.05(2)(a)5.**

Rule Number

Rule Summary

● **251.06(2)(a)**

Rule Number

Rule Summary

● **251.06(2)(i)**

Rule Number

Rule Summary

● **251.06(4)(d)**

Rule Number

Rule Summary

● **251.07(4)(c)**

Rule Number

Rule Summary

● **251.07(4)(d)**

Rule Number

Rule Summary

● **251.09(2)(k)**

Rule Number

Rule Summary

Mar 13, 2025 2 Findings ● 2 Important

● **Cardiopulmonary Resuscitation Training**

251.05(3)(c)

Based upon review on March 13, 2025, Staff Member A of the Staff Record Checklist did not complete training in infant an

About this report

Childery generates this report from public inspection records published by the Wisconsin Department of Children and Families, Bureau of Early Care Regulation. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Wisconsin Department of Children and Families, Bureau of Early Care Regulation.

- **251.05(3)(c)**
Rule Number
Rule Summary

Aug 19, 2024 2 Findings ● 2 Important

- **Food Storage - Cold Storage Thermometers**

251.06(9)(d)1.c.

Based upon observation on August 19, 2024, the refrigerator in the kitchen did not have a thermometer.

- **251.06(9)(d)1.c.**

Rule Number

Rule Summary

About this report

Childery generates this report from public inspection records published by the Wisconsin Department of Children and Families, Bureau of Early Care Regulation. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Wisconsin Department of Children and Families, Bureau of Early Care Regulation.