

YOUNG STARS ACADEMY

2704 N 46TH ST
MILWAUKEE, WI

4 Inspection Visits Since 2024 · 30 Findings

Most recent inspection: May 21, 2026

● 30 Important

Across 4 inspections since 2024, the issues cited most often were 250.05(3)(d) (15), Provider Training - Additional Required Provider (6), and Access To Materials Potentially Harmful To Children (4). None of the 30 findings were critical.

Inspection Visits

May 21, 2026 6 Findings ● 6 Important

● **Provider Training - Additional Required Provider**

250.05(3)(d)

A provider used to meet ratio does not have entry level qualifications.

● **Provider Training - Obtain Cpr Certificate**

250.05(3)(e)1.

Documentation of pediatric CPR training was not observed for a provider.

● **Biennial Training - Child Abuse & Neglect**

250.05(3)(fm)

Documentation of mandated reporter training was not observed for a provider.

● **250.05(3)(d)**

Rule Number

Rule Summary

● **250.05(3)(e)1.**

Rule Number

Rule Summary

● **250.05(3)(fm)**

Rule Number

Rule Summary

About this report

Childery generates this report from public inspection records published by the Wisconsin Department of Children and Families, Bureau of Early Care Regulation. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Wisconsin Department of Children and Families, Bureau of Early Care Regulation.

Nov 5, 2025 2 Findings ● 2 Important

● **Continuation License - Application Materials Submission Date**

250.11(5)(b)

8/12/2025

● **250.11(5)(b)**

Rule Number

Rule Summary

Aug 12, 2025 11 Findings ● 11 Important

● **Supervision Provided By Trained Individuals**

250.055(1)(e)

On 8/12/24, upon licensors arrival, Staff A was providing sole supervision to children. Staff A has worked at the center

● **Access To Materials Potentially Harmful To Children**

250.06(2)(c)

Nightshade (a deadly plant) was observed in the outdoor play space and accessible to children.

● **Potential Source Of Harm On Premises**

250.06(2)(e)

In the outdoor play space, broken glass was observed on the ground and accessible to children. Utility cords were hangin

● **Premises - Condition & Repair**

250.06(2)(m)

In the outdoor play space, slats on the wooden fence were broken.

● **Meals & Snacks - Records**

250.06(9)(j)

Menus dating back at least 3 months were not available for review.

● **250.05(3)(b)**

Rule Number

Rule Summary

● **250.055(1)(e)**

Rule Number

Rule Summary

About this report

Childery generates this report from public inspection records published by the Wisconsin Department of Children and Families, Bureau of Early Care Regulation. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Wisconsin Department of Children and Families, Bureau of Early Care Regulation.

● **250.06(2)(c)**
Rule Number
Rule Summary

● **250.06(2)(e)**
Rule Number
Rule Summary

● **250.06(2)(m)**
Rule Number
Rule Summary

● **250.06(9)(j)**
Rule Number
Rule Summary

Sep 13, 2024 11 Findings ● 11 Important

● **Child Record - Physical Exam - Under 2**
250.04(6)(a)4.a.

There was no record for Child 1 of having a physical exam in the past 6 months. The last exam was in May 2023.

● **Staff File - Staff Record Form**
250.05(2)(a)

Staff C did not have all the required personal information on file, such as staff s education, position, and prior work

● **Provider Training - Substitutes & Volunteers**
250.05(3)(c)

Staff B, a volunteer used to meet staff-to-child ratio, has worked in the center for 240 hours and does not have documen

● **Staff Orientation - Documentation**
250.05(4)(a)

Staff B does not have documentation of a written orientation (staff orientation checklist).

● **Trampolines & Inflatable Bounce Surfaces**
250.07(3)(e)

There was a small trampoline in the outdoor plays place and accessible to children.

● **Infant & Toddler - Diaper Changing Surface - Disinfection**
250.09(4)(b)

The diaper changing mat was observed to have small rips/tears, making the surface unable to be disinfected easily.

About this report

Childery generates this report from public inspection records published by the Wisconsin Department of Children and Families, Bureau of Early Care Regulation. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Wisconsin Department of Children and Families, Bureau of Early Care Regulation.

● **250.04(6)(a)4.a.**

Rule Number

Rule Summary

● **250.05(2)(a)**

Rule Number

Rule Summary

● **250.05(3)(c)**

Rule Number

Rule Summary

● **250.05(4)(a)**

Rule Number

Rule Summary

● **250.07(3)(e)**

Rule Number

Rule Summary

About this report

Childery generates this report from public inspection records published by the Wisconsin Department of Children and Families, Bureau of Early Care Regulation. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Wisconsin Department of Children and Families, Bureau of Early Care Regulation.