

# FOUR U CHILDCARE

2900 N 19TH ST  
MILWAUKEE, WI

## 1 Inspection Visit Since 2025 - 20 Findings

Most recent inspection: Jun 10, 2025

● 20 Important

Across 1 inspection since 2025, the issues cited most often were 250.04(6)(a)1.f (10), Child Record - Enrollment Information - Medical Contact (4), and Potential Source Of Harm On Premises (4). None of the 20 findings were critical.

## Inspection Visits

**Jun 10, 2025** 20 Findings ● 20 Important

● **Child Record - Enrollment Information - Medical Contact**

250.04(6)(a)1.f

There was no documentation on file for the name, address, and telephone number of child #2, 3 and 4 s physician or medic

● **Child Record - Health History**

250.04(6)(a)1m.

There was no documentation on file for health history information for child #2, 3, and 4.

● **Child Record - Physical Exam - Over 2, Under 5**

250.04(6)(a)4.b.

Child #2 did not have on file, documentation of a physical examination within 3 months of enrollment at the center.

● **Current, Accurate Daily Attendance Record**

250.04(6)(b)

There was no documentation of attendance records since the last week of May, located at the time of the visit.

● **Biennial Training - Child Abuse & Neglect**

250.05(3)(fm)

The licensee did not have documentation of current biennial training in child abuse and neglect laws, identification and

### About this report

Childery generates this report from public inspection records published by the Wisconsin Department of Children and Families, Bureau of Early Care Regulation. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Wisconsin Department of Children and Families, Bureau of Early Care Regulation.

● **Potential Source Of Harm On Premises**

250.06(2)(e)

An extension chord was being used to operate the stove.

● **Emergency Plans - Practice**

250.06(3)(b)

The center did not practice the fire evacuation plan monthly since December 2024, and the tornado plan in April and May

● **Smoke Detectors**

250.06(4)(a)1.

The smoke detector in the rear hallway was not in good operating condition as it was chirping at the time of the visit.

● **Smoke Detectors - Testing**

250.06(4)(a)3.

The licensee has not tested the smoke detectors since December 2024.

● **Use Of Disposable Gloves**

250.07(6)(g)7.

Disposable gloves were not available for use.

● **250.04(6)(a)1.f**

Rule Number

Rule Summary

● **250.04(6)(a)1m.**

Rule Number

Rule Summary

● **250.04(6)(a)4.b.**

Rule Number

Rule Summary

● **250.04(6)(b)**

Rule Number

Rule Summary

● **250.05(3)(fm)**

Rule Number

Rule Summary

**About this report**

Childery generates this report from public inspection records published by the Wisconsin Department of Children and Families, Bureau of Early Care Regulation. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Wisconsin Department of Children and Families, Bureau of Early Care Regulation.

● **250.06(2)(e)**

Rule Number

Rule Summary

● **250.06(4)(a)1.**

Rule Number

Rule Summary

● **250.06(4)(a)3.**

Rule Number

Rule Summary

● **250.06(3)(b)**

Rule Number

Rule Summary

● **250.07(6)(g)7.**

Rule Number

Rule Summary

**About this report**

Childery generates this report from public inspection records published by the Wisconsin Department of Children and Families, Bureau of Early Care Regulation. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Wisconsin Department of Children and Families, Bureau of Early Care Regulation.