

KINDERGARTEN PREP PRESCHOOL INC

W226N555 EASTMOUND DR A
WAUKESHA, WI

3 Inspection Visits Since 2024 · 23 Findings

Most recent inspection: Mar 10, 2025

● 23 Important

Across 3 inspections since 2024, the issues cited most often were 251.04(2)(L)1.b. (12), Potential Source Of Harm On Premises (4), and Supervision - Teacher Per Group Of Children (2). None of the 23 findings were critical.

Inspection Visits

Mar 10, 2025 14 Findings ● 14 Important

● **Department Notices Posted**

251.04(2)(L)1.b.

A warning letter dated 8/30/24 was not posted. **This was corrected during the monitoring visit**

● **Supervision - Teacher Per Group Of Children**

251.055(1)(b)

On the day of the monitoring visit, children in the infant room were under the supervision of an assistant teacher, rath

● **Potential Source Of Harm On Premises**

251.06(2)(a)

In the outdoor play space, nails were observed sticking out of the wooden fence and accessible to children.

● **Food Storage - Cold Storage Thermometers**

251.06(9)(d)1.c.

There is no thermometer in the Two s and Toddler room refrigerator.

● **Menus - Plan**

251.07(5)(a)5.b.

There is no written record of afternoon snacks served to children in care.

● **Medication Administration - Parent Authorization**

251.07(6)(f)1.a.

A medication authorization form observed in the Toddler room did not include a begin and end date for the medication.

About this report

Childery generates this report from public inspection records published by the Wisconsin Department of Children and Families, Bureau of Early Care Regulation. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Wisconsin Department of Children and Families, Bureau of Early Care Regulation.

● **Infant & Toddler - Sinks In Self-Contained Area**

251.09(4)(b)

The sink in the Two s and Toddler room, used for diapering purposes, is being used to wash dishes.

● **251.04(2)(L)1.b.**

Rule Number

Rule Summary

● **251.055(1)(b)**

Rule Number

Rule Summary

● **251.06(2)(a)**

Rule Number

Rule Summary

● **251.06(9)(d)1.c.**

Rule Number

Rule Summary

● **251.07(5)(a)5.b.**

Rule Number

Rule Summary

● **251.07(6)(f)1.a.**

Rule Number

Rule Summary

● **251.09(4)(b)**

Rule Number

Rule Summary

About this report

Childery generates this report from public inspection records published by the Wisconsin Department of Children and Families, Bureau of Early Care Regulation. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Wisconsin Department of Children and Families, Bureau of Early Care Regulation.

Mar 5, 2025 2 Findings 2 Important

Continuation License - Application Materials Submission

251.11(4)(b)

8/27/2024

251.11(4)(b)

Rule Number

Rule Summary

Aug 27, 2024 7 Findings 7 Important

Mixed-Age Group - Staff-To-Child Ratio

251.055(2)(c)

On 8/27/24, one teacher was providing care to a group of 6 children (4 children under the age of 2 and 2 children age 2

Outdoor Play Space - Energy-Absorbing Surfaces

251.06(11)(b)5.

In the outdoor play space, equipment over 4 feet tall did not have energy absorbing material at least 9 inches deep.

Deteriorating Paint

251.06(2)(i)

Multiple areas of flaking paint was observed on the fence in the outdoor play space.

251.05(2)(a)6.

Rule Number

Rule Summary

251.055(2)(c)

Rule Number

Rule Summary

251.06(11)(b)5.

Rule Number

Rule Summary

251.06(2)(i)

Rule Number

Rule Summary

About this report

Childery generates this report from public inspection records published by the Wisconsin Department of Children and Families, Bureau of Early Care Regulation. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Wisconsin Department of Children and Families, Bureau of Early Care Regulation.