

LULABELLES LEARNING CENTER LTD

19 W BRACKLIN ST
RICE LAKE, WI

3 Inspection Visits Since 2025 · 30 Findings

Most recent inspection: Sep 5, 2025

● 30 Important

Across 3 inspections since 2025, the issues cited most often were 251.055(1)(f) (12), Potential Source Of Harm On Premises (8), and Child Tracking Procedure (4). None of the 30 findings were critical.

Inspection Visits

Sep 5, 2025 10 Findings ● 10 Important

● **Child Tracking Procedure**

251.055(1)(f)

The center's child tracking procedure was not implemented to ensure the name, number, and whereabouts of children were k

● **Mixed Age Group With Children Under Age 2 - Group Size**

251.055(2)(d)

According to staff statements and attendance records, maximum group size was exceeded on 9/5/25 between 7am and 8am when

● **Potential Source Of Harm On Premises**

251.06(2)(a)

A broken glass window located on the lower level of the building had a hole of approximately 12 inches in diameter with

● **Premises - Well Drained, Clean, In Good Repair**

251.06(2)(gm)

The premises was not in good repair where areas of the outdoor fence had disconnected at the tops, gated areas were held

● **Deteriorating Paint**

251.06(2)(i)

Flaking and deteriorating paint was observed on the outside doorframes of the Preschool Room exit door leading to the ou

About this report

Childery generates this report from public inspection records published by the Wisconsin Department of Children and Families, Bureau of Early Care Regulation. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Wisconsin Department of Children and Families, Bureau of Early Care Regulation.

● **251.055(1)(f)**
Rule Number
Rule Summary

● **251.055(2)(d)**
Rule Number
Rule Summary

● **251.06(2)(a)**
Rule Number
Rule Summary

● **251.06(2)(gm)**
Rule Number
Rule Summary

● **251.06(2)(i)**
Rule Number
Rule Summary

Apr 16, 2025 14 Findings ● 14 Important

● **Child Record - Physical Exam - Over 2, Under 5**
251.04(6)(a)8.b.
Child # 9's record was missing documentation of having received a health exam not more than one year prior to nor later

● **Current, Accurate Daily Attendance Record**
251.04(6)(b)
The attendance was not current and accurate in the Preschool Room when one child was signed out and the child was still

● **Staff-To-Child Ratios - Minimum**
251.055(2)(b)
According to attendance records and documentation of staffs' hours when counted in ratios, staff-to-child ratios were no

● **Mixed Age Group With Children Under Age 2 - Group Size**
251.055(2)(d)
According to attendance records, maximum group size was exceeded in the Preschool Room on 4/16/25 for a period of time w

About this report

Childery generates this report from public inspection records published by the Wisconsin Department of Children and Families, Bureau of Early Care Regulation. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Wisconsin Department of Children and Families, Bureau of Early Care Regulation.

● **Outdoor Play Equipment - Construction, Condition**

251.06(11)(bm)3.

The seat of the teeter-totter had disconnected from the structure, and the seat cushions were in need of replacement.

● **Premises - Well Drained, Clean, In Good Repair**

251.06(2)(gm)

The premises was not in good repair where areas of the outdoor fence had disconnected at the tops, as well as gated area

● **Deteriorating Paint**

251.06(2)(i)

Flaking and deteriorating paint was observed on the outside doorframes of of classroom exit doors that lead to the outdo

● **251.04(6)(a)8.b.**

Rule Number

Rule Summary

● **251.04(6)(b)**

Rule Number

Rule Summary

● **251.055(2)(b)**

Rule Number

Rule Summary

● **251.055(2)(d)**

Rule Number

Rule Summary

● **251.06(11)(bm)3.**

Rule Number

Rule Summary

● **251.06(2)(gm)**

Rule Number

Rule Summary

● **251.06(2)(i)**

Rule Number

Rule Summary

About this report

Childery generates this report from public inspection records published by the Wisconsin Department of Children and Families, Bureau of Early Care Regulation. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Wisconsin Department of Children and Families, Bureau of Early Care Regulation.

Jan 13, 2025 6 Findings ● 6 Important

● **Cardiopulmonary Resuscitation Training**

251.05(3)(c)

Two staff were missing documentation of having maintained a current certificate of completion for infant and child cardi

● **Stairs, Walks, Ramps, Porches - Safety**

251.06(2)(g)

Stairs, walks, ramps and porches were not free from accumulation of snow.

● **Deteriorating Paint**

251.06(2)(i)

Flaking and deteriorating paint was observed on the outside doorframe that leads to the outdoor play area.

● **Eating Surfaces - Cleaned, Sanitized**

251.07(5)(b)5.

Rule states that eating surfaces shall be washed and sanitized before and after each use. The center staff were not wash

● **Current Authorizations For Medications On Premises**

251.07(6)(f)6.

A current, written authorization that includes the child's name and birthdate, name of medication, administration instru

● **Infant & Toddler - Documenting Changes In Development**

251.09(1)(c)

Child care workers were not consistently documenting changes in a child's development and routines every three months ba

About this report

Childery generates this report from public inspection records published by the Wisconsin Department of Children and Families, Bureau of Early Care Regulation. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Wisconsin Department of Children and Families, Bureau of Early Care Regulation.