

LADYBUG LANE CHILD CARE

508 TRENTON ST
FOX LAKE, WI

3 Inspection Visits Since 2024 · 14 Findings

Most recent inspection: Nov 19, 2025

● 14 Important

Across 3 inspections since 2024, the issues cited most often were 250.055(1)(a) (7), Play Equipment - Manufacturer Instructions And Recommendation (3), and Access To Materials Potentially Harmful To Children (2). None of the 14 findings were critical.

Inspection Visits

Nov 19, 2025 8 Findings ● 8 Important

● **Supervision Of Children**

250.055(1)(a)

Each child was not supervised by the provider to ensure safety when a three month old infant was unsupervised and had a

● **Access To Materials Potentially Harmful To Children**

250.06(2)(c)

An infant had access to a potentially harmful material when the infant was laying on the floor with a loose blanket next

● **Play Equipment - Manufacturer Instructions And Recommendation**

250.07(3)(a)5.

A pack n play was not being used in accordance with the manufacturer's instructions when the SUFFUCATION HAZARD label st

● **Naps - Sleep Surface - Child Under 1 Year**

250.07(4)(cm)

Each child under the age of one was not provided with a safe crib or playpen to sleep when the licensee reported that a

● **250.055(1)(a)**

Rule Number

Rule Summary

About this report

Childery generates this report from public inspection records published by the Wisconsin Department of Children and Families, Bureau of Early Care Regulation. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Wisconsin Department of Children and Families, Bureau of Early Care Regulation.

● **250.06(2)(c)**

Rule Number

Rule Summary

● **250.07(3)(a)5.**

Rule Number

Rule Summary

● **250.07(4)(cm)**

Rule Number

Rule Summary

Jan 21, 2025 4 Findings ● 4 Important

● **Fire Extinguisher**

250.06(4)(b)

Fire extinguishers were not inspected annually when the licensee reported they had not inspected the fire extinguishers

● **Time-Outs - Time**

250.07(2)(b)2.c.

The time-out period exceeded 3 minutes when the provider put a 3 year old child in a time-out and told the child that th

● **250.06(4)(b)**

Rule Number

Rule Summary

● **250.07(2)(b)2.c.**

Rule Number

Rule Summary

Nov 6, 2024 2 Findings ● 2 Important

● **Continuation License - Application Materials Submission Date**

250.11(5)(b)

At least 30 days before the continuation review date of the license, an applicant for

● **250.11(5)(b)**

Rule Number

Rule Summary

About this report

Childery generates this report from public inspection records published by the Wisconsin Department of Children and Families, Bureau of Early Care Regulation. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Wisconsin Department of Children and Families, Bureau of Early Care Regulation.

About this report

Childery generates this report from public inspection records published by the Wisconsin Department of Children and Families, Bureau of Early Care Regulation. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Wisconsin Department of Children and Families, Bureau of Early Care Regulation.