

ABIGAIL SPIKER

46 LINA LN
MARTINSBURG, WV

2 Inspection Visits Since 2025 - 5 Findings

Most recent inspection: Oct 15, 2025



● 5 Important

Across 2 inspections since 2025, the issues cited most often were Achieved (1), Achieved (1), and Achieved (1). None of the 5 findings were critical.

Inspection Visits

Oct 15, 2025 1 Finding ● 1 Important

● **Achieved**

Within 12 months of initial registration, a caregiver shall obtain four additional hours of training in at least one other Core Knowledge/Core Competency area.

Mar 31, 2025 4 Findings ● 4 Important

● **Achieved**

Detectors shall be checked frequently, and batteries replaced semi-annually to insure proper functioning.

● **Achieved**

Floors, walls, ceilings, steps, railings, doors, windows and furnishings in the home shall be kept clean and in good repair

● **Achieved**

One working smoke detector shall be installed on every level of the home.

● **Achieved**

Smoke detectors and carbon monoxide detectors shall have working batteries installed at all times.

About this report

Childery generates this report from public inspection records published by the West Virginia Department of Health and Human Resources, Office of Child Care Licensing. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the West Virginia Department of Health and Human Resources, Office of Child Care Licensing.