

# Hands On

2393 Sissonville Dr  
Charleston, WV

## 1 Inspection Visit Since 2026 - 5 Findings

Most recent inspection: Feb 26, 2026

● 5 Important

Across 1 inspection since 2026, the issues cited most often were Pending (1), Achieved (1), and Pending (1). None of the 5 findings were critical.

## Inspection Visits

**Feb 26, 2026** 5 Findings ● 5 Important

● **Pending**

A center shall update the documentation of a completed background check in each staff member's file at the expiration of rap back enrollment.

● **Pending**

Electrical Outlet. A center shall ensure that when an electrical outlet within reach of a child younger than school age is not in use, it is protected by a cover.

● **Pending**

For each product containing potentially hazardous chemicals, a center has on file a material safety data sheet, available at the point of purchase or from the manufacturer.

● **Achieved**

Products containing potentially hazardous chemicals, including identified poisons, medications, certain cleaning supplies, and art supplies, not clearly labeled as "nontoxic," are inaccessible to the children in a locked cabinet away from food, and when possible, stored in their original containers

● **Pending**

The center shall ensure that the floor area immediately adjacent to the diaper changing table has a moisture-resistant, non-absorbent surface extending three feet from the base of the table on all sides, except when one side of the table is against a wall.

### About this report

Childery generates this report from public inspection records published by the West Virginia Department of Health and Human Resources, Office of Child Care Licensing. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the West Virginia Department of Health and Human Resources, Office of Child Care Licensing.