

Samantha Smith

145 CEDAR VALLEY RD
RIPLEY, WV

1 Inspection Visit Since 2025 · 5 Findings

Most recent inspection: Oct 31, 2025

● 5 Important

Across 1 inspection since 2025, the issues cited most often were Achieved (1), Achieved (1), and Achieved (1). None of the 5 findings were critical.

Inspection Visits

Oct 31, 2025 5 Findings ● 5 Important

● **Achieved**

Enclose all swimming pools deeper than 24 inches with a fence at least four feet high

● **Achieved**

Ensure that entry gates remain locked when the pool is not in use

● **Achieved**

Keep documentation available on site of rabies vaccinations for all cats and dogs kept on the premises

● **Achieved**

Safety gates shall be provided at the top and bottom of stairs to which infants and toddlers have access.

● **Achieved**

Update the evacuation plan by December 31 of each year and provide a copy to the child care regulatory specialist. If the provider fails to update the plan, the child care regulatory specialist shall take no action against the provider's certificate of registration until notice is provided and the p

About this report

Childery generates this report from public inspection records published by the West Virginia Department of Health and Human Resources, Office of Child Care Licensing. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the West Virginia Department of Health and Human Resources, Office of Child Care Licensing.