

St. Joseph Parish School

115 E Stephen St
Martinsburg, WV

1 Inspection Visit Since 2024 - 4 Findings

Most recent inspection: Apr 30, 2024

● 4 Important

Across 1 inspection since 2024, the issues cited most often were Achieved (1), Achieved (1), and Achieved (1). None of the 4 findings were critical.

Inspection Visits

Apr 30, 2024 4 Findings ● 4 Important

● **Achieved**

15.2.a. A center shall have on file no later than thirty (30) days after the admission, the child's health records, including a record of a health assessment signed by the child's licensed health care provider, that includes the following medical and developmental information, and any special requi

● **Achieved**

17.2.b. The center shall ensure that floors, walls and ceiling are of easily cleanable material

● **Achieved**

20.4.a.1.B. If it has a fence, the fence has no openings greater than three and one-half (3 1/2) inches

● **Achieved**

20.4.b.4. The appropriate surface materials are located directly under equipment and extend six (6) feet in all directions from the perimeter of the equipment, except from swings where they extend according to the following:

About this report

Childery generates this report from public inspection records published by the West Virginia Department of Health and Human Resources, Office of Child Care Licensing. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the West Virginia Department of Health and Human Resources, Office of Child Care Licensing.