

## Elizabeth Hamacher

207 1ST ST  
SAINT ALBANS, WV

### 2 Inspection Visits Since 2025 - 5 Findings

Most recent inspection: Mar 4, 2026



● 5 Important

Across 2 inspections since 2025, the issues cited most often were Achieved (1), Achieved (1), and Achieved (1). None of the 5 findings were critical.

### Inspection Visits

**Mar 4, 2026** 1 Finding ● 1 Important

● **Achieved**

Thereafter, the caregiver shall complete eight hours of approved training annually, encompassing a minimum of two Core Knowledge/Core Competency areas.

**Jan 15, 2025** 4 Findings ● 4 Important

● **Achieved**

A digital thermometer

● **Achieved**

A properly functioning digital carbon monoxide detector has been installed in a central location in the home

● **Achieved**

An ABC-rated multi-purpose fire extinguisher shall be available in the home at all times.

● **Achieved**

Digital carbon monoxide detectors shall be installed in all residences that use gas appliances, fireplaces, pellet or wood-burning stoves, natural gas, oil, or propane heating systems.

#### About this report

Childery generates this report from public inspection records published by the West Virginia Department of Health and Human Resources, Office of Child Care Licensing. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the West Virginia Department of Health and Human Resources, Office of Child Care Licensing.