

SANDRA PRICE

204 N Mercer Street
Bluefield, WV

1 Inspection Visit Since 2026 - 5 Findings

Most recent inspection: Feb 12, 2026



● 5 Important

Across 1 inspection since 2026, the issues cited most often were Achieved (1), Achieved (1), and Achieved (1). None of the 5 findings were critical.

Inspection Visits

Feb 12, 2026 5 Findings ● 5 Important

● **Achieved**

A properly functioning digital carbon monoxide detector has been installed in a central location in the home

● **Achieved**

Digital carbon monoxide detectors shall be installed in all residences that use gas appliances, fireplaces, pellet or wood-burning stoves, natural gas, oil, or propane heating systems.

● **Achieved**

Examination forms shall indicate that the caregiver has no physical or mental condition that would negatively impact the provision of child care services. The results of the tuberculosis screening must be negative.

● **Achieved**

If an investigation determines a caregiver or household member may have a physical, mental or emotional condition that could negatively impact the care of children, the caregiver shall provide a current physical or psychological exam report by a licensed physician or a licensed mental health profess

● **Achieved**

Thereafter, the caregiver shall complete eight hours of approved training annually, encompassing a minimum of two Core Knowledge/Core Competency areas.

About this report

Childery generates this report from public inspection records published by the West Virginia Department of Health and Human Resources, Office of Child Care Licensing. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the West Virginia Department of Health and Human Resources, Office of Child Care Licensing.