

Shell-Lyn Clarke

256 Otero Ln
Hedgesville, WV

1 Inspection Visit Since 2025 · 5 Findings

Most recent inspection: Jul 30, 2025

● 5 Important

Across 1 inspection since 2025, the issues cited most often were Achieved (1), Achieved (1), and Achieved (1). None of the 5 findings were critical.

Inspection Visits

Jul 30, 2025 5 Findings ● 5 Important

● **Achieved**

A designated relocation site and evacuation

● **Achieved**

A family child care home shall develop and post a written plan for an emergency evacuation in the event of fire, natural disaster or other threatening situation that may pose a health or safety hazard to the children in the family child care home. The plan shall include, but not be limited to:

● **Achieved**

Procedures to address the needs of individual children including children with special needs

● **Achieved**

Safety gates shall be provided at the top and bottom of stairs to which infants and toddlers have access.

● **Achieved**

Thereafter, the caregiver shall complete eight hours of approved training annually, encompassing a minimum of two Core Knowledge/Core Competency areas.

About this report

Childery generates this report from public inspection records published by the West Virginia Department of Health and Human Resources, Office of Child Care Licensing. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the West Virginia Department of Health and Human Resources, Office of Child Care Licensing.