

SHELBY PAUL

3033 St. John's Rd.
Colliers, WV

2 Inspection Visits Since 2024 · 4 Findings

Most recent inspection: Jun 4, 2025



Across 2 inspections since 2024, the issues cited most often were Achieved (1), Achieved (1), and Achieved (1). None of the 4 findings were critical.

Inspection Visits

Jun 4, 2025 1 Finding 1 Important

Achieved

Thereafter, the caregiver shall complete eight hours of approved training annually, encompassing a minimum of two Core Knowledge/Core Competency areas.

Sep 27, 2024 3 Findings 3 Important

Achieved

A designated relocation site and evacuation

Achieved

A family child care home shall develop and post a written plan for an emergency evacuation in the event of fire, natural disaster or other threatening situation that may pose a health or safety hazard to the children in the family child care home. The plan shall include, but not be limited to:

Achieved

The fire evacuation plan shall include a drawing of the primary and secondary exits from all areas of the house and meeting places for the children once they have exited the home.

About this report

Childery generates this report from public inspection records published by the West Virginia Department of Health and Human Resources, Office of Child Care Licensing. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the West Virginia Department of Health and Human Resources, Office of Child Care Licensing.