

# KRYSTAL CHUKWUEMEKA

1429 15th St  
Huntington, WV

## 1 Inspection Visit Since 2026 - 5 Findings

Most recent inspection: May 27, 2026

● 5 Important

Across 1 inspection since 2026, the issues cited most often were Cited rule (1), Cited rule (1), and Cited rule (1). None of the 5 findings were critical.

## Inspection Visits

**May 27, 2026** 5 Findings ● 5 Important

● **Cited rule**

A general medical examination for all children shall be obtained by the parents within thirty (30) days of admission to the home, provided the examination was completed no more than six (6) months prior to the child's admission to the home

● **Cited rule**

A properly functioning digital carbon monoxide detector has been installed in a central location in the home

● **Cited rule**

Balconies, decks, porches, ramps, and play or living areas that are elevated more than thirty-six (36) inches shall be equipped with secure, child-proof railings and barriers.

● **Cited rule**

Digital carbon monoxide detectors shall be installed in all residences that use gas appliances, fireplaces, pellet or wood-burning stoves, natural gas, oil, or propane heating systems.

● **Cited rule**

If immunizations are not current, the caregiver shall obtain a schedule for completion from the parent for the family child care home's files

### About this report

Childery generates this report from public inspection records published by the West Virginia Department of Health and Human Resources, Office of Child Care Licensing. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the West Virginia Department of Health and Human Resources, Office of Child Care Licensing.